

GOVERNMENT OF SINDH EXCISE & TAXATION DEPARETMENT

IIIII	HED REGISTRATION NUMBER P	VEHICLES (FRONT & I	REAR BOTH)	KCIAL, GOVI. & EX
NAME O	F COMPANY:			
DATE OF	OPENING OF TENDER:			
TIME OF I	RECEIPT OF TENDER :			
TIME OF	OF ENING OF TENDER:			
FUGURE	OULD BE QUOTED ON FREE D & 'WORDS) INCLUDING ALL TA	AXES LEVIABLE.		
FUGURE	OULD BE QUOTED ON FREE D & WORDS) INCLUDING ALL TA HALL REMAIN OPEN 90 DAYS O DESCRIPTION	AXES LEVIABLE.		

Supply of finished Registration Number Plates for 4 wheeler (Commercial, Non-Commercial, Government and Exempted Vehicles to the stores of Excise, Taxation & Narcotics Department situated at Motor Registration Wing, Civic Center Karachi as per sequence and serial Nos / Registration marks as per specifications / conditions under Motor Vehicle Rules, 1969 as per below specifications.

2. SPECIFICATION OF NUMBER PLATES

(i)	Size of Registration Number Plate	:	305x155 (mm)	
(ii)	Digits and letters (Width)	:	33 (mm)	
(iii)	Digits and letter (Height)	:	62 (mm)	
(iv)	Letter's width with name of the Province	:	14 (mm)	
(v)	Letter's Height of the name of the Province	:	18 (mm)	
(vi)	Width of the Collar all around the plate	:	3.00 (mm)	
(vii)	Manufacturing Tolerance	:	± 0.3 (mm)	
(viii)	Gauge of high tensile aluminum sheet	:	18	
(ix)	Purity	:	(99-100 %)	
(x)	Embossing depth	:	1.2mm	

* *	(xi)	Only "A" class durable staving enamel paint and clear lacquer made by Renowned Paint Company or equivalent should be used.
1	(xii)	Number plate after embossing process should be thoroughly de-greased and surface to be attached using proper chemicals in order to hold the paint.
	(xiii)	Number plate should be painted in two coats of staving enamel base paint in colour and shade and baked in oven at required temperature.
是一个人,我们是一个人,我们是一个人,我们是一个人,我们是一个人,我们是一个人,我们是一个人,我们是一个人,我们是一个人,我们是一个人,我们是一个人,我们是一个人,我们	Spring (xiv)	All embossed impression should be motorized roller painted by using appropriate paint which shall be resistant to all physical and environmental hazards and the emblem of Govt. of Sindh to be permanent screen printed using "A" quality imported ink used for this specific purpose.
Section 2	(xv)	Two holes in the number plate to place on the Cars at appropriate place.
AND COMMEN	(xvi)	The Number Plate shall be alpha numeric in character comprising three embossed Alphabets (Excluding "I" and "O") and three / four / five digits (001 to 999 / 0001 to 9999.
No street No.	3.	FINISHING / COLOUR SCHEME
N. Strangersky	a)	Non-Commercial Vehicle Plates:- Paint; Yellow background & Black font.
enterment the section of	b)	Commercial Vehicle Plate:- Paint; Black background & White font.
Wile Seas Supple	c)	Government vehicle Plate:- Paint; Green background & White font.
See action	d)	Emblem of Govt. of Sindh; Screen Printed in
(dispaying)		green colour on the upper center of the plate.
en along accom	4.	TERMS AND CONDITIONS
er en de la company de la comp	. 1)	The sample of the number plate be presented in the office of the Secretary, Excise, Taxation & Narcotics Department, Room No. 30, 2 nd Floor, Tughlaq House, Karachi with the tender documents alongwith PSQCA Test Reports.
Paris engaptione action	II)	Randomly collected samples from supplied stores may be got tested from PSQCA from time to time during the course of supplies on the expenses of Suppliers for maintenance of quality.
Mandadallik (Cap	III)	The bidders should have their own complete manufacturing unit with proper security arrangement of the stores.
Charles and Children	IV)	Consignment of Finished Number Plates shall be delivered as per schedule of Motor Registration Wing, Civic Centre, Karachi.
P. Contine the legistic dy	V)	Consignment of the number plates shall be provided from the date of issuance of contract as per given schedule in the contract.
A sherister	∨ I)	Bidders must furnish a bid security @ 2.5% of the value of their offer/bid in the shape of Pay
Wordstank		y a zione of men offerible in the snape of Pay
402 a 10 a		
alterita.		
45.00		$\epsilon_{V_{i,j}}$

	CERTIFICATE
XX)	The tender shall be Single Stage – One Envelope.
XIX)	Number Plates should be packed in Polythene Bags with seal ends.
XVII)	Number Plates should be durable Bright Colour.
XVII)	In case of increase in quantity of number plates the difference of 2.5 % of earnest money in shape of pay order will be submitted by the supplier (successful bidder) before issuance of additional work order.
XVI)	After award of work order subject to availability of additional funds, the quantity of required number plates may be increased and the receivable will be based on actual bill as Bill of Quantity (BOQ).
XV)	The quantity of all terms may vary subject to availability of Funds.
XIV)	All bids shall be evaluated in accordance with the specification, finishing and Terms & Conditions mentioned in the tender documents and in accordance with the SPPRA Rules 2010.
XIII)	The bidder shall enclose with their tender a Certificate as under failing which the tender is liable to be cancelled.
XII)	Certificate of Income Tax Registration Number/Professional Tax/Sales Tax must be enclosed in the tender.
XI)	Representative of the Firms are required to produce Authority letter at the time of attending opening of Tender.
X)	Tender should be properly sealed.
IX)	Original tender purchase receipt must be enclosed with the offer.
VIII)	Pay order of earnest money and performance security shall be in favour of Secretary, Excise, Taxation & Narcotics Department, Government of Sindh, Karachi.
VII)	The successful bidder will have to deposit $@5\%$ of the contract price with the purchaser as performance security.
	order / Bernand Bran.

We guarantee to supply the stores exactly in accordance with the requirements specified in the invitation of this Tender. Further to comply with all above terms and conditions.

Signature of Tender		
Name & Address	11	
Designation	 	



GOVERNMENT OF SINDH EXCISE & TAXATION DEPARETMENT

Constantinated States of the Constantinated S	On in		GOVERNMEN CISE & TAXATIO	N DE	PARETMENT	
	PRICE I ender i	RS.2, 000/- NOT REFUNDABL No Date	E / TRANSFERABLE) ed			
Z Samera construction of the Construction of t	sc	HEDULE FOR INVITATION OF HED REGISTRATION NUMBER		D.DVR/	MR/43/2013/N.	P/1408 DATED 07.08.2
N		F COMPANY :		CICL	ES/RICKSHAWS/	MOTORCYCLE RICKS
D.	ATE OF	OPENING OF TENDER:				
TIA	ME OF	RECEIPT OF TENDER:				
TIA	ME OF	OPENING OF TENDER:				
33		()ULD BE QUOTED ON FREE 3. WORDS) INCLUDING ALL				
<u>OF</u>	FER SH	ALL REMAIN OPEN 90 DAYS	OR VALIDITY WILL BE	E EXTEN	NDED AS PER RU	ILE 38 SPPRA RUI FS 20
S - 1.	S.NO	DESCRIPTION	QUANTITY REQUIRED		JNIT PRICE OF REE DELIVERY (PAIR)	TOTAL PRICE BOTH IN FIQURES AND WORDS
		Quoted bids for registration Number Plates for 2/3 wheelers Motorcycle / Rickshaw /	* 400000 Single Plate (Approximately)			
		Motorcycle Rickshaw.				
1.		OPE OF WORK				
	Pro Mo De No: Mo	OPE OF WORK accurement of finisher of the foliation of the finisher of the fi	orcycle Rickshaws to or Registration Wing, o per specifications / c	o the	nber Plates stores of Exc Center Karachi o ons of tender d	ise, Taxation & Na
1.	Pro Mo De No: Mo	OPE OF WORK Curement of finished or cycles/Rickshaws/Moto	orcycle Rickshaws to or Registration Wing, o per specifications / c	o the	stores of Exc	ise, Taxation & Na
1. 2. (i)	Pro Mo De No: Mo	OPE OF WORK accurement of finisher of the foliation of the finisher of the fi	orcycle Rickshaws to or Registration Wing, o per specifications / c	o the	stores of Exc	ise, Taxation & Na as per sequence and ocument and as pro
2. (i) (ii)	Pro Mo De No: Mo	COPE OF WORK accurement of finished of the foliation of the foliation of the finished of the foliation of t	orcycle Rickshaws to or Registration Wing, o per specifications / c	o the	stores of Exc Center Karachi o ons of tender d	ise, Taxation & Na as per sequence and ocument and as pro
2. (i) (ii) (iii)	Pro Mo De No: Mo	COPE OF WORK Courement of finished of the control of the courement of the courement of the courement situated at Motors / Registration marks as placed to Vehicle Rules, 1969. CIFICATION OF NUMBER PL Size of Registration Nu Digits (Width) Digits (Height)	ercycle Rickshaws to or Registration Wing, over specifications / continued to the continued	o the	stores of Exc Center Karachi ons of tender d	ise, Taxation & Na as per sequence and ocument and as pro
1. (i) (ii) (iii) (iv)	Pro Mo De No: Mo	COPE OF WORK Courement of finished to recycles/Rickshaws/Motor coartment situated at Motor of Registration marks as placed to Vehicle Rules, 1969. CIFICATION OF NUMBER PL Size of Registration Nu Digits (Width) Digits (Height) Stroke size of Number P	ercycle Rickshaws to represent Registration Wing, over specifications / contents ATES mber Plate	o the Civic (ondition	stores of Exc Center Karachi ons of tender d 165x115 (mn 20 (mm)	ise, Taxation & Na as per sequence and ocument and as pro
1. 2. (i) (ii) (iii) (iv) (v)	Pro Mo De No: Mo	COPE OF WORK Courement of finished torcycles/Rickshaws/Motorcycles/Rickshaws/Motorcycles/Rickshaws/Motorcycles/Rickshaws/Motorcycles/Rickshaws/Motorcycles/Rickshaws/Motorcycles/Rickshaws/Motorcycles/Rickshaws/Motorcycles/Registration marks as part or Vehicle Rules, 1969. CIFICATION OF NUMBER PL Size of Registration Nu Digits (Width) Digits (Height) Stroke size of Number P	ercycle Rickshaws to registration Wing, over specifications / content of the Province of the Province	o the Civic (ondition	stores of Exc Center Karachi ons of tender d 165x115 (mm 20 (mm) 30 (mm)	ise, Taxation & Na as per sequence and ocument and as pro
1. 2. (i) (ii) (iii) (iv) (v) (vi)	Pro Mo De No: Mo	COPE OF WORK Courement of finished to recycles/Rickshaws/Motor coartment situated at Motor of Registration marks as placed to Vehicle Rules, 1969. CIFICATION OF NUMBER PL Size of Registration Nu Digits (Width) Digits (Height) Stroke size of Number P	ercycle Rickshaws to registration Wing, over specifications / content of the Province of the Province	o the Civic (ondition	stores of Exc Center Karachi ons of tender d 165x115 (mm 20 (mm) 30 (mm) 3 – 3.5 (mm) 55 (mm)	ise, Taxation & Na as per sequence and ocument and as pro
1. 2. (i) (ii) (iii) (iv) (v) (vi)	Pro Mo De No: Mo	COPE OF WORK Courement of finished to recycles/Rickshaws/Motor coartment situated at Motor of Registration marks as placed to Vehicle Rules, 1969. CIFICATION OF NUMBER PL Size of Registration Nu Digits (Width) Digits (Height) Stroke size of Number Pl Letter's width with the recycles.	ercycle Rickshaws to Registration Wing, over specifications / content of the Province name of the Province name of the	o the Civic (ondition	stores of Exc Center Karachi ons of tender d 165x115 (mm 20 (mm) 30 (mm) 3 – 3.5 (mm) 55 (mm)	ise, Taxation & Na as per sequence and ocument and as pro
1. 2. (i) (ii) (iii) (iv) (v) (vi) (vii) (viii)	Pro Mo De No: Mo	COPE OF WORK Courement of finished of courement situated at Motor courtment situated at Motor of Registration marks as placed to Vehicle Rules, 1969. CIFICATION OF NUMBER PL Size of Registration Nu Digits (Width) Digits (Height) Stroke size of Number Pl Letter's width with the relation of the court of the cou	ercycle Rickshaws to Registration Wing, or R	o the Civic (ondition	stores of Exc Center Karachi ons of tender d 165x115 (mm 20 (mm) 30 (mm) 3 – 3.5 (mm) 55 (mm) 10 (mm) 2-2.5 (mm)	ise, Taxation & Na as per sequence and ocument and as pro
1. 2. (i) (ii) (iii) (iv) (v) (vi) (vii) (viii) (ix)	Pro Mo De No: Mo	COPE OF WORK Courement of finished of corycles/Rickshaws/Motor coartment situated at Motor of Registration marks as poster Vehicle Rules, 1969. CIFICATION OF NUMBER PL Size of Registration Nu Digits (Width) Digits (Height) Stroke size of Number P Letter's width with the relation of the Collar all of Manufacturing Tolerance	ercycle Rickshaws to Registration Wing, or R	o the Civic (ondition	stores of Exc Center Karachi ons of tender d 165x115 (mm 20 (mm) 30 (mm) 3 – 3.5 (mm) 55 (mm) 10 (mm) 2-2.5 (mm) ± 0.3 (mm)	ise, Taxation & Na as per sequence and ocument and as pro
1. 2. (i) (ii) (iii) (iv) (v) (vi) (vii) (viii) (ix)	Pro Mo De No: Mo	COPE OF WORK Courement of finished torcycles/Rickshaws/Motorcycles/Rickshaws/Motorcycles/Rickshaws/Motorcycles/Rickshaws/Motorcycles/Rickshaws/Motorcycles/Rickshaws/Motorcycles/Rickshaws/Motorcycles/Rickshaws/Motorcycles/Registration marks as part or Vehicle Rules, 1969. CIFICATION OF NUMBER PL Size of Registration Nu Digits (Width) Digits (Height) Stroke size of Number P Letter's width with the r Letter's Height with the Province Width of the Collar all of	ercycle Rickshaws to Registration Wing, or R	o the Civic (ondition	stores of Exc Center Karachi ons of tender d 165x115 (mm 20 (mm) 30 (mm) 3 – 3.5 (mm) 55 (mm) 10 (mm) 2-2.5 (mm)	ise, Taxation & Na as per sequence and ocument and as pro
2. (i) (ii) (iii) (iv) (v) (vi) (vii)	Pro Mo De No: Mo	COPE OF WORK Courement of finished of corycles/Rickshaws/Motor coartment situated at Motor of Registration marks as poster Vehicle Rules, 1969. CIFICATION OF NUMBER PL Size of Registration Nu Digits (Width) Digits (Height) Stroke size of Number P Letter's width with the relation of the Collar all of Manufacturing Tolerance	ercycle Rickshaws to Registration Wing, or R	o the Civic (ondition	stores of Exc Center Karachi ons of tender d 165x115 (mm 20 (mm) 30 (mm) 3 – 3.5 (mm) 55 (mm) 10 (mm) 2-2.5 (mm) ± 0.3 (mm)	ise, Taxation & Na as per sequence and ocument and as pro

* (x)	Purity		(99-100 %)	
(xi)	Embossing depth	ž	1.2mm	
(xii)	Only "A" class durable staving en Paint Company or equivalent sho	amel paint and uld be used.		y Renowned
(xiii)	Number plate after embossing pro to be attached using proper chen	00000 ab - 111	thoroughly de-grease	d and surface
(xiv)	Number plate should be painted in and shade and baked in oven at a	n huo anni	* 2	aint in colour
(XV)	All embossed impression should be which shall be resistant to all physic Govt. of Sindh to be permanent scr this specific purpose.	motorized roller	painted by using appr	opriate paint e emblem of d ink used for
(xvi)	Two holes in the number plates to fi	t it on the vehic	les at appropriate plac	
(xvii)	The Number Plate shall be alpha nu Alphabets (Excluding "I" and "O") o	Inc. a.u		
3.	FINISHING / COLOUR SCHEME		a algiis (000) 10 7777).
a)	Motorcycle Number Plate Paint; White background & Blue font	t.		
b)	Auto Rickshaw Number Plate Paint; Black background & White for			
4.	TERMS AND CONDITIONS			
(x) Purity Embossing depth Only "A" class durable staving ename Paint Company or equivalent should I Number plate after embossing proces to be attached using proper chemical to be attached using proper chemical objects of the attached using the course of supplies attached using the course of supplies attached using the attached using the course of supplies attached using the attached usi			office of the Secretary Floor, Tughlaq House, K	, Excise, arachi with the
II)	Randomly collected samples from sutime to time during the course of support quality.		ay be got tested from F enses of Suppliers for m	PSQCA from naintenance of
III)	The bidders should have their own co arrangement of the stores.	mplete manufc	cturing unit with prope	r security
IV)	Consignment of Finished Number Plate Registration Wing, Civic Centre, Karac	es shall be deliv chi.	ered as per schedule c	f Motor
V)	Consignment of the number plates sho contract as per given schedule in the	all be provided contract.	from the date of issuan	ce of
VI)	Bidders must furnish a bid security @ 2.5 Order / Demand Draft.		of their offer/bid in the	shape of Pay
VII)	The successful bidder will have to depo as performance security.	osit 5 % of the co	ontract price with the p	urchaser
VIII)	Pay order of earnest money and perfo Excise, Taxation & Narcotics Departme	rmance securit ent, Governmen	y shall be in favour of Se t of Sindh, Karachi.	ecretary,
				A.

IX) X)	Original tender p	ourchase receipt must be enclosed with the offer.	
X)	Tender should be		
XI) XII) XIII)		of the Firms are required to	time of
XII)	Certificate of Income Tax Registration Number/Professional Tax/Sales Tax must be enclosed in the tender.		
XIII)		enclose with their tender a Certificate as under failing whice elled.	
XIV)	All bids shall be ex	valuated in accordance with the specification, finishing a oned in the tender documents and in accordance with the	
XV)		all terms may vary subject to availability of Funds.	
XVI)	After award of voor required number 1	work order subject to availability of additional funds, ber plates may be increased and the receivable will Bill of Quantity (BOQ).	the quantity I be based
XVII)	In case of increase	e in quantity of number plates the difference of 2.5 % of e	
XVII)	Number Plates show	uld be in durable Bright Colour.	
XIX)		uld be packed in Polythene Bags with seal ends.	
XX)		Single Stage – One Envelope.	
		CERTIFICATE	iy - i
	We guarantee to sup	oply the stores exactly in accordance with the requireme	
n the invit	tation of this Tender. Furthe	er to comply with all above terms and conditions.	nts specified
a ,	Signature of Tender		
	Name & Address		
	Designation		1- 1- leg
			Ted

Signature of Tender	8
Name & Address	
Designation	-