

TENDER DOCUMENT

FOR

PROCUREMENT OF LAB EQUIPMENT

FOR

**DEPARTMENT OF CHEMICAL
ENGINEERING**

MEHRAN UNIVERSITY

OF

ENGINEERING AND TECHNOLOGY

JAMSHORO


SINDH- PAKISTAN

INDEX

	<u>PAGES</u>
1. TENDER NOTICE	TN-01 to 01
2. ARTICLES OF AGREEMENT	AA-01 to 02
3. INSTRUCTION TO TENDERERS	IT- 01 to 08
4. CONDITIONS OF CONTRACT	CC-01 to 12
5. <u>ANNEXURES</u>	
(i) FORM OF TENDER	ANNEXURE-A
(ii) TENDER PARTICULARS	ANNEXURE-B
(iii) FORM OF SCHEDULE OF TENDER FOR STORES MANUFACTURED/ AVAILABLE IN PAKISTAN WITHOUT INVOLVING IMPORT.	ANNEXURE-C1
(iv) FORM OF SCHEDULE TO TENDER FOR STORES IMPORTED FROM APPROVED COUNTRIES.	ANNEXURE-C2
(v) BID BOND	ANNEXURE-D
(vi) CONTRACTORS PERFORMANCE BOND	ANNEXURE-E
(vii) STATEMENT DESCRIBING DEVIATION FROM SPECIFICATIONS.	ANNEXURE-F
(viii) <u>OTHERS:</u>	<u>LIST OF EQUIPMENT</u>

B.O.Q FOR PROCUREMENT OF LAB EQUIPMENT FOR VARIOUS LABORATORIES OF DEPARTMENT OF CHEMICAL ENGINEERING, MUET, JAMSHORO.

GREEN



MEHRAN UNIVERSITY OF ENGINEERING & TECHNOLOGY,

JAMSHORO - 76062, SINDH, PAKISTAN

Phone / Fax No. +92 22 2771403

Email: nadeem.soomro@admin.muet.edu.pk

ISO 2001:2008
CERTIFIED

**DEPUTY DIRECTOR
(Procurement)**

“SAY NO TO CORRUPTION”

No. & Dated: DD(Proc.)/MUET/JAM/128, 30-06-2016

NOTICE INVITING TENDERS

All the prequalified Contractors / firms / parties / suppliers / Manufacturers, Sole Distributors meeting eligibility criteria, viz. having registration with Federal Board of Revenue (FBR) for Income Tax, Sales Tax in case of procurement of goods, registration with the Sindh Revenue Board in case of procurement of works and services and registration with Pakistan Engineering Council as the case may be and are not black listed in any procuring agency or authority, are invited to participate in sealed percentage / item rate tender for the following works:

S.#	Name of Work	Tender Fee	Completion Time	Earnest Money	Date of Purchase	Date of Submission of Bids	Purchase From
1	Procurement of Lab Equipment for various laboratories of Department of Electronic Engineering	3000/-	10 Months	5%	11-07-2016 To 09-08-2016	10-08-2016	Deputy Director (Procurement)
2	Procurement of Lab Equipment for various laboratories of Department of Chemical Engineering	3000/-	10 Months	5%	11-07-2016 To 09-08-2016	10-08-2016	Deputy Director (Procurement)
3	Procurement of Lab Equipment for various laboratories of Department of Mining Engineering	3000/-	10 Months	5%	11-07-2016 To 09-08-2016	10-08-2016	Deputy Director (Procurement)
4	Procurement of Lab Equipment for various laboratories of Department of Industrial Engineering & Management	3000/-	10 Months	5%	11-07-2016 To 09-08-2016	10-08-2016	Deputy Director (Procurement)
5	Procurement of Lab Equipment for various laboratories of Department of Metallurgy & Materials Engineering	3000/-	10 Months	5%	11-07-2016 To 10-08-2016	11-08-2016	Deputy Director (Procurement)
6	Procurement of Lab Equipment for various laboratories of Department of Architecture	3000/-	10 Months	5%	11-07-2016 To 10-08-2016	11-08-2016	Deputy Director (Procurement)
7	Procurement of Lab Equipment for various laboratories of Institute of Petroleum & Natural Gas Engineering	3000/-	10 Months	5%	11-07-2016 To 10-08-2016	11-08-2016	Deputy Director (Procurement)

The terms and conditions are given as under:-

- The tender documents can be had from office of the Deputy Director (Procurement) or can be downloaded from SPPRA website i.e. www.pprasindh.gov.pk and University website www.muet.edu.pk/tenders-notice on the payment noted above (non-refundable) on any working day except the day of opening of tenders. The sealed tender on prescribed proforma alongwith 5% earnest money of total bid in the form of Pay Order in favour of the Deputy Director (Procurement) for Sr. No. 01 to 04 by 10-08-2016 upto 10.30 (A.M) and same will be opened on the same day @ 11.00 (A.M) and for Sr. No. 05 to 07 by 11-08-2016 upto 10.30 (A.M) and same will be opened on the same

day @ 11.00 (A.M) in respective office, in presence of the Contractors / Suppliers / representatives, who so ever will be present at that time. In case of any unforeseen situation resulting in closure of office on the date of opening or if Government declares Holiday the tender shall be submitted / opened on the next working day at the same time & venue. Any Conditional or un-accompanied of the earnest money, tender will not be considered in the competition.

02. The Method of Procurement is Single Stage - One Envelope Procedure.
03. The Bidders should have atleast 03 years successful experience of same service of any university or large organization.
04. The Bidders should register with tax paying agency which would be verified by concerned agencies.
05. The Bidders should have atleast Rs. 5,000,000.00 annual turnover which would be verified by bank statement.
06. A Corporate Certificate / Competency Certificate of the Manufacturers regarding installation, testing, commissioning & training of equipment be attached

The Procuring Agency reserves the right to reject any or all bids subject to relevant provisions of SPP Rules, 2010 and may cancel the bidding process at any time prior to the acceptance of a bid or proposal under Rule-25” of said Rules.

Sd/-

Deputy Director (Procurement),
Mehran University of Engg. & Tech. Jamshoro,
Phone No. 022-2109010 Fax: 022-2771403
Email: nadeem.soomro@admin.muet.edu.pk

ARTICLES OF AGREEMENT

This Agreement made this _____ day of _____ 2016, by and between the Vice-Chancellor, Mehran University of Engineering and Technology, located at Jamshoro, Sindh, including his successors in office and Assignees / Agents, acting through the Director (Works & Services), Mehran University of Engineering & Technology, hereinafter called the “**University**”, of the one part,

And _____ of
(name and designation of the authorized person), located
at _____, hereinafter called the
“**Contractor**” which expression shall include their successors, legal representatives of the second part.

Whereas the **University** requires Equipment at Jamshoro, and whereas the **Contractor** has agreed to supply, install, put into operation and demonstrate the working of the said Equipment valued at Rs. _____ (in figures and words) in the period of _____ months, subject to the terms and conditions set forth, hereinafter, which have been accepted by the **Contractor**.

(amount in figures and words)

Now this Agreement witnesses as follows:

1. In this agreement words and expressions shall have the same meanings as are respectively assigned to them in the **Conditions of Contract** hereinafter referred to.
2. The following documents which, for the purpose of identification, have been signed by _____ on behalf of the **Contractor**, and by
(name and designation of the authorized person)
_____ on behalf of the **University**, all of
(name and designation of the authorized person)
which shall be deemed to form and be read and construed as a part of this **Agreement** viz.:
 - a) Articles of Agreement;
 - b) Instructions to Tenderers;
 - c) Conditions of Contract;
 - d) Contractor’s Offer including the relevant correspondence prior to signing of this Agreement with all Annexures duly filled in;
 - e) The specifications of the equipment; and
 - f) Bill of Quantity with prices.

3. In consideration of the payment to be made to the Contractor, the **Contractor** hereby **covenants** with the University to supply, deliver, install, put into operation and demonstrate the working of the Equipment in conformity in all respects of the Contract & the order form No. _____.
4. The **University** hereby **covenants to pay** the Contractor in consideration of the supply, delivery, installation, putting into operation and demonstration of the working of the Equipment the contact price in the manner prescribed by the Contract and approved by the University.

In Witness Whereof the parties have hereunto set their respective hands and seals, the day, month and year first above written.

WITNESSES:

University_____

Contractor_____

Witness No.1:

Witness No.1:

Signature:_____

Signature:_____

Name: _____

Name: _____

Designation: _____

Designation: _____

Witness No.2.

Witness No.2:

Signature:_____

Signature:_____

Name: _____

Name: _____

Designation: _____

Designation: _____

INSTRUCTIONS TO TENDERERS

The Mehran University of Engineering and Technology, Jamshoro, Sindh, intends to purchase Equipment under the approved schemes. The purchase will be financed through the cash provided by the Government of Pakistan. This tender is issued for the supply, installation, putting into operation and demonstration of the working of the Equipment as per the Schedule of requirements given in this Tender Document.

PREPARATION OF TENDER.

1. Language of Tender

The **Tender** alongwith any accompanying literature shall be prepared in **English** language only:

2. Submission of Tender

- a) The **Tender** shall be enclosed in a double cover. The outer cover shall bear the address of the Director (Works & Services), Mehran University of Engineering and Technology, Jamshoro, Sindh, without any indication that it encloses a tender. The inner cover shall be marked with the title of the Tender, number of invitation to the Tender and the date of opening of the Tender, and **must be sealed**.
- b) The **Form for Tender**, (Annexure-A) **Tender Particulars (Annexure-B)** and **Forms of Schedule to Tender** (Annexure "C1"&"C2") enclosed herewith, shall be submitted in duplicate. The authorized person signing the tender documents must state his full name and authorized position designation underneath his signature.
- c) The **erasing and/or alterations**, if any, in the Tender shall be authenticated by the authorized person by his full signature.
- d) The **Tender** shall be accompanied with the **original quotations** from the manufacturers, in case the Tender is submitted through their authorized agents or distributors, and shall be supported by credentials establishing the experience and standing of the manufacturers and / or their authorized agents or distributors.
- e) A **Corporate Certificate / Competency Certificate of the Manufacturer** regarding installation, testing, commissioning & training of equipment be attached
- f) **Ambiguous and incorrect answers** and/or incorrect filling of Tender Documents will render the tender liable to rejection.
- g) **Quotations** through cable, telegraph, telex, fax, or e-mail will not be considered.

- h) The tenders shall not rely on any **interpretation or correction** given by any person except the written **addenda and/or corrigenda** to documents issued by the Director (Works & services), Mehran University of Engineering and Technology, Jamshoro, Sindh.

3. **Bid Bond and Contract Performance Bond**

- a) The tenderer shall enclose with his/her tender a **Bid Bond** on requisite stamp paper, as per **Annexure “D”** to this Tender Document, issued by a scheduled/commercial bank doing business in Pakistan, for an amount equivalent to **5% of the total cost** of the Lab Equipment offered as per the Tender submitted by him/her, or Rs.100,000.00 (One hundred thousand), whichever is more. The Bid Bond shall be in favor of the Vice Chancellor, Mehran University of Engineering and Technology, Jamshoro, including his successor in office and assignees acting through the Director (Works & services), Mehran University of Engineering and Technology. The bond so furnished shall remain **valid for a period 28 days beyond the period of validity of the Tender** or till it is revalidated/extended for a period mutually agreed upon by the tenderer and the Director (Works & services), Mehran University of Engineering and Technology.
- b) As soon as an award is made, the provisions in paragraphs **c), d) and e)**, hereunder, shall **operate**.
- c) If the Tender is **rejected**, the Bid Bond will be returned to the tenderer as soon as possible after rejection.
- d) The **successful bidder** shall have to give a **Contract Performance Bond**, as per **Annexure “E”** to this Tender Document, to the extent of **5% of the total value** of the contract on the same conditions as the Bid Bond. The Performance Bond shall be retained by the Director (Works & services), Mehran University of Engineering and Technology, till the completion of the guarantee period as per Clause 23 of the Conditions of Contract.

4. **Quality of Stores.**

- a) The Equipment and other relevant materials (hereinafter called **“Stores”**) quoted and supplied against this “Invitation to Tender” shall be strictly in accordance with the **Specifications** attached with this Tender Document. The Stores shall be the product of an established manufacturer shall conform to internationally acceptable commercial standards, and shall be a model that has been successfully operated over a reasonable period of time in educational institutions R&D organizations, or relevant industry.
- b) In Tenderers must also warrant the use of best material in the making of the stores. by the find that the Specifications for any items of the Stores are lacking in details, they may give their own proposals with detailed specifications, preferably three alternate proposals if possible, for such items in Annexure “F”.

- c) The Stores offered by the tenders must be of a quality suitable for the purposes and operations for which they are required, and must be capable of rendering the required performance and services at site in the local conditions of extreme tropical climate, air, dust, water, power and fuel at Jamshoro.
- d) The Hardware for operation of the Stores will be made available by University.
- e) The electric supply for operation of the Stores will be made available at 220 volt single phase, or 380 volt three phase, and 50 cycles.
- f) The Stores offered shall be complete with their standard accessories and must be accompanied by their normal instructions book/manual.
- g) Wherever possible or feasible, each item of Stores offered must have its own protection devices, e.g, overload protection by circuit breakers or fuses, or voltage stabilizer for electric equipment.
- h) Unless stipulated otherwise in the specifications for any item, the Stores conforming to ASA, SAE, SSI or DIN will be acceptable.
- i) The successful bidders may be asked to supply list of spares for 5 years satisfactory operation of any item of the Stores, prior to award of the contract.

5. **Literature.**

The tenderers must furnish with their bids catalogues giving full technical details of the Stores to enable the University to check their offers technically against the prescribed specifications failing which the offers will be liable to rejection.

6. **Principals Name, Certificate and Invoice.**

- a) The tenderers are required to mention in their quotations/offers the name and address of their Principals along with a certificate authorizing them (tenderers) to quote on their (Principals) behalf as under:
“This is to certify that M/s _____ located at _____ have obtained quotations from us against tender inquiry No. _____ dated _____ from Mehran University of Engineering and Technology, Jamshoro, due for opening on _____ and have agreed to make available the Equipment on the quotations and terms and conditions of the tender”.

The above condition does not apply to the manufacturers bidding directly.

- b) The tenderers must also furnish along with their offers their Principals original Proforma Invoice failing which their offers will be rejected.

7. **Country of Origin.**

The tenderers must state in his Tender the country of origin of the Stores offered.

8. **Alternative Proposal.**

If any tenderer elects to submit alternative proposal(s) complete information on the alternative items including all data relating to technical specifications in Vol. I, II & III shall be given as per Annexure “F”.

9. **Prices.**

- a) **CATEGORY-‘A’** **Stores Manufactured/Available in Pakistan without Involving Import.**

The prices quoted must be total per unit in Pakistani Rupees as shown in **Annexure “C-1”** and shall include:

- i. All charges for packing, marking, handling, insurance, inspection, guarantees, freight/transportation, agent’s commission; and all duties, taxes, levies, octrois etc; and.
- ii. The cost of installation, putting into operation and demonstration of the working of the Equipment in the laboratories of Chemical Engineering Department of the University.

- b) **CATEGORY-“B”**. **Stores Imported from approved Countries.**

The prices must be quoted for each item of Stores in **Annexure-“C2”** separately for each of the PARTS given below:

PART-1. Payment in Foreign currency.

The C&F prices quoted by the Principals in the currency of the country of origin.

For the purpose of comparison, the prices quoted shall be converted to equivalent prices in Pakistani Rupees on the basis of the official bank rate prevalent on the date of opening of the Tender.

PART-2 Payment in Pakistani Rupees.

- (i) The agent’s/supplier’s commission in Pakistani Rupees.
- (ii) The insurance charges. The insurance will be arranged by the Contractor through the University with Pakistan Insurance Corporation. The University will assist the Contractor in obtaining the insurance at concessional rates, if any, as allowed by the Government.
- (iii) The cost of installation, putting into operation and demonstration of the working of the equipment in the Laboratories of the University in Pakistani Rupees.
- (iv) All the charges pertaining to handling and clearance of the Stores at the port including all taxes, levies, octrois etc. but excluding the customs duties for the payment of which the University is exempted by the Government. However, if the customs duties are charged for any items of the Stores for which the Government the exemption, the University will make the payment.

- (v) The transportation charges for transporting the Stores from the port to the Chemical Engineering Department of the University including the charges for loading the Stores at the port and unloading the same at the University.

For the purpose of evaluation/comparison of bids, as stated in Clause-15, the total price for the Stores under this Category shall be the sum of the amounts mentioned for Parts 1 & 2 above.

- (c) In addition to what is stated in para a) & b) above, the prices given in Annexure C1 & C2 shall also include the following for the Stores of both the Categories-A & B.
 - (i) Supply, detailing, manufacture, factory testing, export preparation and all costs incidental to shipping/transport up to the stage of installation in the Chemical Engineering Department of the University.
 - (ii) Responsibility for any loss and/or damage at any stage from manufacture to installation in the Chemical Engineering Department of the University.
 - (iii) Provision for clean on boards bills of landing.
 - (iv) The cost of export taxes, fees and charges levied and out going incurred on exporting goods in the country of origin.
 - (v) The expenses on account of the certificate of origin, invoices or any other documents issued in the country or origin.

10. Validity of Prices/Tender

- a) The prices quoted shall be valid for a period of at least 120 days from the date of opening of the tender.
- b) Until the final Contract is executed, the successful bidder shall be bound by the terms and conditions of this Tender Document.

11. Acceptance of the Terms

- a) The submission of the tender against this tender inquiry by the tenderer means that the tenderer has read and accepted the terms and conditions relating to all the tender documents and annexures, and that he/she have thoroughly examined the specifications and particulars in the tender inquiry. Further the tender shall be deemed to be fully aware of the nature of the Stores and the purpose for which they are required and shall be bound to accept the Contract if placed with him/her on the basis of the prices and of the delivery schedule as indicated in Clause 12 hereof within the validity of his/her Tender.

- b) If the Tender is awarded in favour of Proprietor / Principals who has no authorized agent or distributor in Pakistan, he/she shall have to appoint a distributor or nominee for the purpose of successful completion of the contract and to provide after-sales service.

12. Delivery Period.**i. Shipment of Imported Items.**

- a) The shipment of the items of Stores which are to be imported shall be started as early as possible, the shipment schedule shall be submitted to the Director (Works & Services), Mehran University, and shall be negotiable and subject to approval by the University.
- b) The tenderer must indicate in his/her offer the port from where the Stores will be shipped.

ii. Delivery Period.

- a) The entire Stores must be delivered, installed and put into operation in the Chemical Engineering Department of the University as early as possible after receiving the letter of award of the Contract.
- b) The Tenderer shall give in the offer his/her own schedule for the delivery and installation of various items of the Stores which shall be negotiable and subject to approval of the University.

iii. Delay in the Delivery of the Stores.

- a) For the Stores delayed beyond the delivery period, as specified in the Contract, or as approved by the University as stated in Clause 12 ii b) above, there shall be levied liquidated damages as specified in Clause 22 of the Conditions of Contract given in this Tender Document.
- b) The liquidated damages may be waived fully or partially by the Director (Works & Services), with the approval of the Vice Chancellor of the University, if there are reasonable grounds for such a delay.

13. Negotiations.

Under no circumstances will the negotiations take place with any tenderer with regard to Specifications and Prices quoted and read out at the public opening of the tenders and with regard to the substance of the offer. The tenderers cannot revise their prices after the public opening of the tenders.

14. Rights of the University

- (a) The University reserves the right to reject any or all bids without any reason whatsoever, or not waive minor irregularities or errors in any offer. If it appears to the University that such irregularities or errors must be corrected in the offer in which they occur, the same will be corrected prior to issue of the letter of intent which may be awarded thereupon.

- (b) The University is neither bound to accept the lowest or any other offer nor is it bound to assign reason for rejection of any offer.
- c) The University reserves the right to award the contract to one bidder or divide it among several bidders.
- d) The University reserves the right to increase or decrease the quantity of the Stores at its discretion without assigning any reason whatsoever.
- e) The University reserves the right to cancel the offer of the tenderer whose bid has been found / evaluated to be the lowest if it is revealed to the University that the tenderer does not have the capability or financial resources or facilities to carry out the Contract in accordance with the terms and conditions of this Tender Document.

15. Evaluation of Bids.

- a) In comparing bids the University will consider, besides the prices quoted, such other factors as compliance with specifications, relative quality of Stores, past experience of the tenderer, after-sales services facilities available in Pakistan and the tenderer's capacity to perform.
- b) The evaluation criteria specifically mentioned in the specifications will also be considered for evaluation of the bids.
- c) For the purpose of evaluation, the prices to be compared shall be the total prices inclusive of all duties, taxes, freight charges etc. as stated in clause 9 titled "Prices" above.
 - (i) For the items quoted in Annexure-C-1, the total prices as mentioned in Clause-9(b) shall be compared.
 - (ii) For comparison of the items quoted in Annexure C-1 with those quoted in Annexure C-2, the total prices as mentioned in Clause-9(a) including the charges/cost packing, making, handling, insurance, inspection guarantees, clearance, freight/transportation upto the University's Chemical Engineering Department duties, taxes, levies, octrois etc.

16. Errors in the Bids.

- (i) Any arithmetic errors found during evaluation of bids will be rectified on the following basis:
 - a) If there is a discrepancy between the unit price and the total price that is obtained by multiplying the unit price and quantity, the unit price shall prevail and the total price shall be corrected by the University.
 - b) If there is a discrepancy between the words and figures, the amount in figures shall prevail.

- c) If there is any discrepancy between the total tender price entered in the Articles of Agreement and the total shown in the Schedule of Prices, the amount stated in the Articles of Agreement shall be corrected by the University in accordance with the corrected schedule of Prices.
- (ii) If the tenderer does not accept the corrected amount of tender, his/her Tender will be rejected and the Bid Bond submitted with the tender shall be forfeited.

17. Foreign Exchange for Items of Stores to be imported.

For the items of Stores which are to be imported and for which the prices have been quoted on C&F basis in Annexure C-2, the University will arrange payment in the foreign currency, to the extent of the C&F amount, as stated in Clause 9(b), through its bank in Pakistan in accordance with the prevailing foreign exchange control rules/regulations of the Government of Pakistan.

CONDITIONS OF CONTRACT

1. Scope of the Contract

- a) The **Scope of the Contract** shall be the supply, delivery, installation, putting into operation and demonstration of the working of the Stores in the Chemical Engineering Department of the University at Jamshoro, Sindh, in accordance with the technical Specifications and Bill of Quantities enclosed in this Tender Document.
- b) The Contractor shall within a period of one month of the execution of the agreement furnish to the University a **detailed program** for supply and delivery of various items of the Stores for necessary approval by the University.

2. Definition of Terms

In writing these Conditions of Contract, Specifications and Bill of Quantities, the following words shall have the meanings hereby indicated, unless there is some thing in the subject matter or Contract inconsistent with such constructions:

- i. **The University** shall mean the Mehran University of Engineering and Technology, Jamshoro, Sindh.
- ii. **The Vice Chancellor** shall mean the Vice Chancellor of Mehran University of Engineering and Technology, Jamshoro, Sindh, including his successor in office and assignees, empowered to act in all matters pertaining to the University either directly or through the Director (Works & Services), Mehran University of Engineering and Technology, Jamshoro.
- iii. **The Contractor or Supplier** shall mean the Tenderer (Bidder) whose Bid has been accepted by the University and shall include the Bidder's executors, administrators, successors and permitted assignees.
- iv. **The Stores** shall mean and include all the Equipment, literature, materials and articles to be provided by the Contractor under the Contract.
- v. **The Contract** shall mean the agreement signed by the Contractor for the supply, delivery, installation, putting into operation and demonstration for the working of the Stores, as stated under the Scope of the Contract above.
- vi. **The Contract Price** shall mean the sum mentioned in or calculated in accordance with the provisions of the Contract, which is to be paid to the Contractor for satisfactory execution of the Contract in accordance with these Conditions of Contract.

- vii. **The Specifications** shall mean the specifications annexed to or issued, herewith, and shall include the schedule and drawings attached hereto as well as the samples and patterns if any.
- viii. **Month** shall mean the Calendar month.
- ix. **Writing** shall include any manuscript, type-written, printed or other statement reproduced in any visible form and whether under seal or under hand.

3. **Contract Documents.**

- a) The term **Contract Document** shall mean the following documents which shall be deemed to form an integral part of the Contract:
 - i. Articles of Agreement;
 - ii. Instructions to Tenderers;
 - iii. Conditions of Contract;
 - iv. Contractor's Proposal / Offer including the relevant correspondences prior to signing of the agreement with all Annexures duly filled in;
 - v. The Specifications of the Stores; and
 - vi. Bill of Quantities with prices.
- b) In the event of any **conflict** between the above mentioned documents, the present Articles of Agreement and Conditions of Contract shall prevail.

4. **Signing of the Contract Agreement**

Within 30 days of the issue of the letter of intent, the successful bidder (bidders) will be required to **sign an agreement** with the University for the supply of such quantity, in whole or in part, of the tendered Stores as will be communicated to him / her (them) in the letter of intent.

5. **Packing, Marking and Handling**

- a) All the Stores, whether imported or locally manufactured / available, shall be delivered to the University at Jamshoro in **safe and secure condition** at the risk and cost of the Contractor.
- b) The packing, marking and handling shall be so arranged by the Contractor as to **prevent any loss of or damage** to the Stores.

- c) In case any of the items of the Stores are to be imported by the Contractor, the **import** shall be **arranged by the Contractor** himself / herself with such packing and marking and through such means as deemed fit by him / her for safe and secure delivery at Jamshoro. The packing of the equipment shall be the usual export packing to ensure safe journey by air, sea, rail and road, as the case may be, of the Stores to destination. Each packing shall be clearly marked in English with the following:

- i. Port of Destination: KARACHI.
- ii. Name of the Ship: _____
- iii. Name of the Consignee: DIRECTOR (WORKS & SERVICES)
MEHRAN UNIVERSITY OF
ENGINEERING & TECHNOLOGY
JAMSHORO, SINDH, PAKISTAN
- i. Name of the Contractor: CONTRACTOR'S NAME & ADDRESS
- ii. Case Number & Contents: _____
- iii. Net Weight & Dimensions: (length, Breadth & Height)
- iv. Gross Weight: (Kg.)
- v. Number & Date of Contract: _____
- vi. Marking: MUET in a 6 in. x 4 in. rectangle
MUET

6. Transportation and Shipment

a. For Stores to be Imported

- i. All those items of Stores which are to be imported by the Contractor shall be **shipped** by whatever means the Contractor deems fit **at his / her risk and cost**. The Contractor must keep the University informed of the shipping arrangements, schedule of shipping, arrival at the port, clearance from the port, and transportation from the port to the University.
- ii. **All costs** of loading of the Stores from the wharves at port of shipment and also the cost of ship wharf age / berthing, demurrage charges, stevedoring, handling charges and other port and river dues in respect of shipment companies' vessels at the port of shipment and all other expenditure up to the stage of placing the Stores at rest on board the ship and the freight charges shall be **borne by the Contractor**.
- iii. Similarly all costs of unloading the Stores at the wharves, wharf age / berthing, demurrage, stevedoring, handling charges and other port dues at the port of arrival in Pakistan and transportation from the port up to the stage of placing the Stores position in the Chemical Engineering Department of the University shall be borne by the **Contractor**. In order to facilitate the clearance of the Stores at the port of arrival, a clearing agent will be engaged by the University, in consultation with the Contractor, who will get the Stores cleared with the assistance of the University and the Contractor, and the clearing agent's charges shall be **borne by the Contractor**.

- iv. All things being equal, **Pakistan flag ships** should be used, as far as possible, for shipment of the Stores. If no such ship is available, such other ships may be used consistent with the execution of this Contract with economy and efficiency.
- v. The Stores must be shipped **under deck**
- vi. The Contractor shall send by air mail/courier service or personally deliver 4 (four) sets of non-negotiable shipping documents direct to the Director (Works & Services), Mehran University of Engineering and Technology, Jamshoro, Sindh, so as to reach him at least 8(eight) days before arrival of the ship at the port in Pakistan.

b. For Stores Manufactured / Available in Pakistan

- i. All those items of the Stores which are to be manufactured in Pakistan, or are to be supplied from the locally available stocks (whether imported or manufactured in Pakistan), may be transported from the place of manufacture or availability to Jamshoro by **any mode of transportation** as deemed convenient and suitable by the Contractor at his / her risk and cost.
- ii. **All costs** of handling, loading, transportation, unloading and placing the Stores in position in the Chemical Engineering Department of the University shall be **borne by the Contractor**.

7. Pre-shipment and After-fabrication Inspection

- a) The **pre-shipment inspection** and / or the inspection of the Stores Principals/Proprietor at the premises, if desired by the Contractor, shall be arranged by the Contractor at his / her own cost. The responsibility for the quality, quantity, correctness and adherence to the Specifications etc. of the Stores shall lie solely and squarely on the Contractor.
- b) The University may, at its discretion, waive pre-shipment inspection and hence issue the waiver in writing so that the Stores could be shipped under manufacturer's test certificate. This waiver shall be deemed as authorization to ship for the purpose of negotiating the letter of credit under Clause 13(b)ii.
- c) The pre-shipment inspection and/or the waiver thereof shall in no way above the Contractor of any of his obligations under this Contract.

8. Insurance

The **Contractor shall arrange** the insurance for the Stores in whatever way he / she deems fit at his / her risk and cost. The prices quoted in the offer of the Contractor shall include the cost of insurance. The Contractor shall have to inform the University of the Insurance Arrangements made by him / her for the Stores.

9. On-arrival Inspection

There shall be inspection of the Stores by the representatives of the University after arrival in the Chemical Engineering Department of the University in presence of the Contractor or his authorized representatives and the representatives of the insurance company. The **inspection report**, which, inter-alia, should indicate the condition in which each item of the Stores has been received, shall be signed by the above representatives. The Contractor shall coordinate with the Director (Works & Services), Mehran University, and the insurance company for arranging the inspection at such date and time as is convenient to the above representatives.

10. Taking Over

Upon receipt of the equipment in the Chemical Engineering Department of the University and after inspection, as stated in Clause 9 above, the University will issue a **taking-over certificate** in respect of those items of Stores which are received in acceptable condition. The taking-over of the damaged items will be with-held until the same are repaired / replaced and are re-inspected and found in acceptable condition.

11. Installation and Demonstration of Stores

a). Installation

- i) After inspection and taking over of the Stores, as stated in Clauses **9** and **10** above, the **Contractor shall install** those items of Stores which are to be permanently positioned in place in the laboratories of the University. For this purpose, the Contractor shall co-ordinate with the Director (Works & Services), Mehran University, for making arrangements for the Hardware needed for the installation.
- ii) The cost of hardware **for installation** shall be borne by the University. The Contractor shall provide, alongwith his offer, the details of the hardware needed for each item of the Stores separately. The technical and other personnel needed for installation of the Stores shall be provided by the Contractor at his cost. The entire cost of installation, configuration, application except that of the needed hardware, shall be borne by the Contractor.

b) Demonstration

- i) After installation of the Stores, as stated in Clause **11 a)** above, the complete **working of each item** of Stores for the purpose of performing the intended Chemical Engineering Department experiments, testing of specimens and recording of the test results etc., shall be demonstrated fully to the designated staff of the University by the Contractor or his technical personnel.
- ii) The entire **cost**, including the T.A. / D.A. of the personnel involved in the demonstration, shall be **borne by the Contractor**.

12. Completion Certificate

After completion of the installation and demonstration, as stated in Clause **11** above, a certificate is to be obtained by the Contractor from the concerned **Head of the Department / Director of the Institute** stating that the Stores (item-wise) have been satisfactorily installed and demonstrated by the Contractor.

13. Terms of Payment

The Contractor shall be paid for Stores in the following manner:

- a) CATEGORY A: **Stores Manufactured/Available in Pakistan without involving import.**
 - i. For all those items of Stores for which the completion certificate has been issued by the University, as stated in Clause **12** above, the University will pay to the Contractor total price of the items quoted by the Contractor.
 - ii. The payment for those items of Stores for which the completion certificate has not been issued by the University, as stated in Clause **12** above, will be withheld and released only after the damaged items are replaced / repaired, re-inspected and found in satisfactory condition with consequent issuance of the completion certificate. The payment will be made in the same manner as stated in Clause **13 a) i** above
- b) CATEGORY-B **Stores Imported from Approved Countries.**

The payment for this category of Stores will be made in two parts as under:-

PART-I. Payment in Foreign currency

- i. An irrevocable **letter of credit** of one hundred percent (**100%**) of the C&F price, in the currency quoted by the Principals, will be opened in a bank in the country of origin in favor of the Principals/Contractor within 30 days after signing the Contract.

- ii. One hundred percent (**100%**) of the letter of credit amount will be paid against presentation of the shipping documents to the bank through the above letter of credit. The required shipping documents include:
- Clean on board bill of lading;
 - Contractor's detailed invoice showing description of the Stores, specifications, quantity, unit price and total price;
 - Detailed packing list;
 - Certificate of origin of the Stores' and
 - Certificate of pre-shipment/after-fabrication inspection or authorization to ship the Stores as per Clause-7.

PART-2. Payment in Pakistani Rupees

The Rupee component of the price of the Stores, as stated in Clause **9 b)** of **“Instructions to Tenderers”** will be paid to the Contractor in the following manner:

- i. For all those items of Stores for which the taking over certificate has been issued by the University, as stated in Clause **10** above, the University will pay to the Contractor seventy percent (70%) of the total price of the items quoted by the Contractor, the remaining thirty percent (30%) will be paid after presentation of the completion certificate, as stated in Clause 12 above.
- ii. The payment for those items of Stores for which the completion certificate has not been issued by the University, as stated in Clause **10** above, will be withheld and released only after the damaged items are replaced/repared, re-inspected and found in satisfactory condition with consequent issuance of the completion certificate. The payment will be made in the same manner as stated in Clause **13 a)i** above

14. Warranty / Guaranty

- a) The Contractor shall **warranty** that the Stores shall be fit for the purposes and operation mentioned in the relevant clauses of the “Instructions to the Tenderers” and “Conditions of Contract”, notwithstanding the fact that the entire Stores, or any item or part of the Stores, bear or are found to bear a patent or trade mark.
- b) The Contractor shall guarantee supply of good quality Stores in accordance with the Specifications and as stated in Clauses 4 and 5 of the “Instructions to the Tenderers”. Further, the Stores shall be brand new and absolutely free from all defects in material, quality and workmanship. In case of defects, the defective Stores, or the defective parts / components of the Stores thereof, shall be replaced by the Contractor free of cost to the University within reasonable time.

15. Breach of Contract

In case of breach of warranty /guarantee or Contract, the **damages** suffered by the University shall be **recovered from the Contractor** out of any payment due to the Contractor and / or in accordance with the terms and conditions of the Contract Performance Bond given at Annexure “E” enclosed with this Tender Document, without notice to the Contractor.

16. Contractor’s Default Liability

- a) The University may upon written notice of default to the Contractor **terminate the Contract** in the circumstances detailed hereunder:
 - i. If in the judgment of the University, the Contractor fails to make delivery of the Stores within the time specified in the Contract Agreement or within the period for which extension has been granted by the University; and
 - ii. If, in the judgment of the University, the Contractor fails to comply with any of the other provisions of the Contract.
- b) In the event the University terminates the Contract, in whole or in part, as provided in Clause **16 a)** above, the University reserves the right to **purchase**, on such terms and conditions as it may deem appropriate, Stores similar to the one terminated, and the Contractor will be liable to the University for any additional costs for such **similar Stores**, and / or for liquidated damages for delay, as defined in Clause **22** of the Conditions of Contract until such reasonable time as may be required for the final supply of the Stores.
- c) If the Contract is terminated, as provided in Clause **16 a)** above, the University, in addition to any other rights provided in this Clause, may require the Contractor to **transfer title** and deliver to the University under any of the following cases in the manner and as directed by the University:
 - i) Any **completed Stores**; and
 - ii) Such **partially completed Stores**, drawings, information and contract right (hereinafter called manufacturing material) as the Contractor has specifically produced or acquired for the performance of such parts of the Contract as has been terminated.
- d) The University will **pay to the Contractor** the Contract Price for the completed Stores delivered to and accepted by the University and also for the manufacturing materials delivered and accepted.
- e) In the event the University does not terminate the Contract, as provided in Clause **16 a)** above, the Contractor shall continue with the performance of his / her Contract, in which case the Contractor shall be liable to the University for **Liquidated Damages for delay** as set out in Clause 22 until the Stores are accepted.

17. Bankruptcy

If the **Contractor** shall become **bankrupt** or have a receiving order made against him / her or compound with his / her creditors, or being a corporation commence to be wound up, not being a voluntary winding up for the purpose of amalgamation or reconstruction, or carry on its business under a receiver for the benefit of its creditors or any of them, **the University shall** be at liberty to:

- a) **terminate the Contract** forthwith by a notice in writing to the Contractor or to the liquidator or receiver or to any person in whom the Contract may become vested, and to act in the manner provided in Clause 16 above as though the last mentioned notice has been the notice referred in such Clause and the Stores have been taken out of the Contractor's hand; and / or
- b) give such liquidator, receiver, or other person the **option of carrying out the Contract** subject to his / her providing a guarantee for the due and faithful performance of the Contract upto an amount to be determined by the University.

18. Termination of Contract

- a) If, for any cause as set forth in Clause **19** hereafter, the Contractor finds it impracticable to continue operation or, if owing to force majeure or to any cause beyond its control, the University finds it impossible to continue operation, then **prompt notification** in writing shall be given by the party affected to the other.
- b) If the delay or difficulties so caused cannot be expected to cease or become avoidable, or if operation cannot be resumed within six months, then either party shall have the right to terminate the Contract by giving ten **(10) days written notice** to the other.
- c) In the event of termination of the Contract under this Clause, **payment** will be made to the Contractor as follows:
 - i) The Contractor shall be paid for all the Stores for which the completion certificate has been issued, as stated in Clause 12, and for all the reimbursable expenses due and unpaid.
 - ii) The Contractor shall also be paid reasonably for any work done during the said six months period as well as for settlement of any financial commitment made in connection with proper performance of the Contract and which are not reasonably defrayed by payments under i) above.
 - iii) On termination of the contract for any cause, the Contractor shall see to the orderly suspension and termination of operations with due consideration to the interests of the University with respect to completion, safeguarding or storing of the Stores produced for the performance of the Contract and the salvage and resale thereof

19. Force Majeure.

The Contractor shall not be liable for any additional cost or for liquidated damages for delay or any failure to perform the Contract arising out of force majeure or cause beyond his / her control including acts of God, or of the public enemy, or of the Government, fires, floods, epidemic quarantine restrictions, strikes, freight embargoes and default of subcontractors due to any such cause (unless the University shall determine that the Stores to be furnished by the Contractor might reasonably have been obtained from other sources in sufficient time to allow the Contractor to meet the required time schedule), provided that the Contractor shall within ten (10) days from the beginning of such delay notify the University in writing of the **causes of the delay**. The University shall ascertain the facts and the extent of the delay and **extend the time** for completing the supplies as in its judgment the findings justify.

20. Rejection

- a) In the event any portion of the Stores supplied by the Contractor is found before taking over to be **defective in material or workmanship**, or otherwise not in conformity with the requirements of the Contract, the University shall have the right to either reject or require, in writing, rectification of the Stores. In the later case, the Contractor shall with utmost diligence, and at his own expense, make good the defects so specified or replace the defective Stores. If the Contractor fails to rectify or replace the rejected Stores, the University may adopt any of the following options:
 - i) **replace or rectify**, at its option, such defective Stores and charge to the Contractor the excess cost occasioned to the University plus (15%) fifteen percent; or
 - ii) acquire the said Stores **at a reduced price** considered equitable under the circumstances; or
 - iii) **terminate the Contract** as provided in Clause **18** of these Conditions of Contract.
- b) Nothing in this Clause shall affect any claim by the University under Clause **22** hereafter.

21. Extension of Time

If the completion of the Contract is delayed due to reason beyond the control of the Contractor, the Contractor shall without delay request the University, in writing, of his **claim** for an extension of time. The University on receipt of such request may agree to **extend the completion date** as may be reasonable in the circumstances of the case but without prejudice to other terms and conditions of the Contract.

22. Delay in Delivery - Liquidated Damages

- a) Should the **progress** of the Contract at any time be **lagging behind** the program agreed between the University and the Contractor, the University will notify the Contractor in writing and the Contractor shall there upon take such steps as he / she may deem fit to **expedite the progress** of the Contract. Non-issuance of this notice by the University shall not in any way absolve the Contractor of the liquidated damages as stated in Clause **22 b)** below.
- b) If the Contractor **fails to complete the Contract**, in full or part, within the time laid down in the Contract Agreement or any extension thereof, there shall be deducted from the Contract Price, as **liquidated damages**, a sum of one half of one percent (**0.5%**) of **the Contract price** of each unit of the delayed Stores for each calendar week of delay subject to the maximum of five percent (5%) of the Contract Price of the unit or units so delayed, and such deduction shall be in full satisfaction of the Contractor's liability for the said failure.

23. Period of Guarantee

- a) The term **period of guarantee** shall mean the period of twelve (**12**) **months** from the date on which the Stores have been put into operation and demonstrated to University staff. In any case this period shall not exceed eighteen (18) months from the date of taking-over certificate.
- b) During the period of guarantee, the Contractor shall **remedy**, at his / her expense, **all defects** in design, materials, and workmanship that may develop or are revealed under normal use of the said Stores upon receiving written notice from the University; the notice shall indicate in what respect the Stores are faulty.
- c) The provisions of this Clause include all the **expenses** that the Contractor may have to incur for delivery and installation of such replacement parts, material, and equipment as are needed for satisfactory operation of the Stores at the University premises.

24. Non-assignment

The Contractor shall **not have the right to assign or transfer** without the prior approval of the University the benefit and obligations of the Contract or any part thereof.

25. Expenditure Under Contract

The Contractor shall not make any expenditure for the purpose of this Contract in any **country not authorized** by the Government of Pakistan

26. Certificate Not to Affect the Rights of the University or the Contractor

No certificate of the University on account nor any sum paid on account by the University nor any extension of time for the delivery of the Stores pursuant to Clause 19 shall affect or **prejudice the rights of the University** against the Contractor nor relieve the Contractor of his obligation for due performance of the Contract or be interpreted as approval of the Stores supplied, and no certificate shall create liability of the University to pay for the alterations, amendments, variations etc. not ordered in writing by the University or discharge the Contractor for the payment of damages or of any sum against the payment of which he / she is bound to indemnify the University nor shall such certificate nor the acceptance by him / her of any sum paid affect or **prejudice the rights of the Contractor** against the University.

27. Payments Due from the Contractor

All costs, ascertained damages or expenses for which under the Contract the Contractor is liable to the University may be deducted by the University from any money due or may become due to the Contractor under the Contract or may be recovered by action of law or other wise from the Contractor.

28. Legal Proceedings

The Contract and the Tender Documents are governed by the **laws of Pakistan** and no proceedings to or arising out of any of them shall be instituted in any courts other than those situated at Hyderabad and Karachi, Sindh Pakistan..

29. Dispute

Should any question or dispute arise as to the material, design, construction or delay in the supply of the Stores or the purpose or the performance for which they are required or are warranted, the University shall nominate an independent **certifier / expert** having knowledge of Equipment, etc., who will, after affording the parties to the dispute an opportunity to present their contention, and after having tests made as the certifier deems fit, certify whether there has been any breach of Contract or warranty and, if so, what sum shall be paid to the University in diminution or extinction of price, and such certificates shall be final and binding and shall not be questioned and shall be acted upon in arbitral or other legal proceedings. The award of the costs of the certifier will be within his / her own discretion and shall be recoverable from the party against which the costs are awarded.

30. Arbitration

All disputes and matters of difference whatsoever (other than those relating to the certificate of expert certifier) between the University and the Contractor relating to and arising out of the Contract and Tender Documents shall be referred to arbitration under the arbitration act 1940 with amendments and re-amendments thereof, each party nominating its own arbitrator. The umpire will be nominated by the arbitrators within the first three arbitral hearings. The **award of the arbitrators or of the umpire shall be final and binding** upon the parties. The arbitral proceedings shall be held at Jamshoro, Sindh Pakistan.

FORM OF TENDER
(LETTER OF OFFER)

Tender Reference No. _____ Dated _____

Name of Contract: **Supply, Installation, Putting into Operation and Demonstration of Equipment at laboratories of Chemical Engineering Department of Mehran University of Engineering & Technology, Jamshoro, Sindh**

The Director (Works & Services)
Mehran University of Engineering & Technology
JAMSHORO, SINDH

Dear Sir,

1. Having examined the Tender Documents including Instructions to Tenderers, Conditions of Contract, Specifications, Drawings, Schedule of Prices and Addenda Nos. _____ for the execution of the above-named Contract, we, the undersigned, being a company doing business under the name and address _____ and being duly incorporated under the laws of Pakistan hereby offer to execute and complete such Contract and remedy any defects therein in conformity with the said Documents including Addenda thereto for the Total Tender Price of Rs. _____ (in figures and words) or such other sum as may be ascertained in accordance with the said Documents.
2. We understand that all the Schedules attached hereto form part of this Tender.
3. As security for due performance of the undertakings and obligations of this Tender, we submit herewith a Bid Bond referred to in Clause 3 of the Instructions Tenderers and as per Annexure “D”, in the amount of Rs. _____ (in words and figures) drawn in favor of or made payable to Mehran University of Engineering and Technology, Jamshoro, and valid for a period of 28 days beyond the period of validity of this Tender.
4. We undertake, if our Tender is accepted, to complete the whole of the work comprised in the above-named Contact within the time stated in Clause 12 of the Instructions to Tenderers.
5. We agree to abide by this Tender for the period of 120 days beyond the date of opening of the Tender, and it shall remain binding upon us and may be accepted at any time before the expiration of this period.
6. Unless and until a formal Contract Agreement is signed, this Tender, together with your acceptance thereof, shall constitute a binding contract between us.
7. We undertake, if our Tender is accepted, to execute the Contract Performance Bond referred to in Clause 3 of the Instructions to Tenderers and as per Annexure “E” for the due performance of the Contract.

8. We understand that you are not bound to accept the lowest or any Tender you may receive.
9. We do hereby declare that this Tender is made without any collusion, comparison of figures or arrangement with any other person or persons making a Tender for the above-named Contract.
10. We confirm, if our Tender is accepted, that all partners of the joint venture shall be liable jointly and severally for the execution of the Contract and the composition or the constitution of the joint venture shall not be altered without the prior consent of the Vice Chancellor, Mehran University of Engineering and Technology, Jamshoro. (Please delete this clause in case of Tender from a single firm)

Dated this _____ day of _____ 2016

Signature _____ in the capacity of _____ duly authorized

to sign Tender for and on behalf of _____
(Name of Tenderer in Block Capitals)

Address: _____

Witness:

Name: _____

Address: _____

Occupation: _____

TENDER PARTICULARS

THE TENDERERS MUST SUPPLY THE FOLLOWING SPECIFIC INFORMATION FOR EACH ITEM OR GROUP OF ITEMS OF THE STORES:

1. Conformation of Stores:

Whether the Stores offered conform to the particulars specified in the Schedules; if not, details of deviations must be stated in Annexure "F".

2. Manufacturing Details:

- (i) Brand of Equipment.
- (ii) Name and address of Manufacturer; and
- (iii) Country of origin of Stores.

3. Delivery Schedule: `

- (i) Earliest date by which delivery can be affected;
- (ii) Complete schedule of delivery; and
- (iii) If the delivery period is different for different items, it must be indicated item wise.

4. Packing Specification:

Whether the specifications for packing given in the Tender Documents will be adhered to.

ANNEXURE "C1"

FORM OF SCHEDULE TO TENDER FOR STORES
MANUFACTURED/AVAILABLE IN PAKISTAN WITHOUT INVOLVING IMPORT.

Due by _____ hours on _____
(time) (date) (month) (year)

SCHEDULE TO TENDER NO. _____ DATED _____

The Tender will be opened at _____ hours on _____
(time) (date) (month) (year)

Delivery on or before _____
(date) (month) (year)

Rates and amount to be quoted in Pakistani Rupees

S.No.	Code/ Item No.	Description Of Stores	Detailed Specifications Of Stores with Model No.	Quantity Of Stores.	Unit	Rate Per Unit	Total Price.
1	2	3	4	5	6	7	8

It is certifies that:

- The Stores offered above conform in all respects with the particulars/specifications given in the Tender Documents' and
- All the terms and conditions of the Tender Documents are acceptable to us.

(signature of the authorized person)

(name of the authorized person)

SEAL

(name of the Tenderer)

ANNEXURE “C2”

FORM OF SCHEDULE TO TENDER FOR STORES
IMPORTED FROM APPROVED COUNTRIES.

Due by _____ hours on _____
(time) (date) (month) (year)

SCHEDULE TO TENDER NO. _____ DATED _____

The Tender will be opened at _____ hours on _____
(time) (date) (month) (year)

Delivery on or before _____
(date) (month) (year)

PART 1. The rates quoted in the Table below must be on C&F basis.

S. No.	Code/ Item No.	Description Of Stores	Detailed Specifications Of Stores with Model No.	Quantity Of Stores.	Unit	Rate Per Unit	Currency	Total C&F Price	Country of Origin
1	2	3	4	5	6	7	8	9	10

PART 2. The rates quoted in the Table below must be in Pakistani Rupees

S.No.	Code/ Item No.	Description of Stores	Quantity Of Stores.	Unit	Rate Per Unit	Total Price.
1	2	3	5	6	7	8

(Continued on the next page)

ANNEXURE “C2”

NOTE:

In the Table below, the columns 1 to 5 and 8 are to be filled in by the Tenderer before submitting the Tender, while the columns 6,7 and 9 are to be filled in jointly by the Director (Works & Services), Mehran University of Engineering and Technology, or his representative, and the Tenderer, or his representative, after opening of the Tender.

S. No.	Code/ Item No.	Description of Stores	Total C&F Price for Part 1	Currency	Exchange Rate	Total Price for Part 1 (Rs.)	Total Price for Part II (Rs.)	Total Cost (Rs.)
1	2	3	4	5	6	7	8	9

It is certified that:

- i) The Stores offered above conform in all respects with the particulars/specifications given in the Tender Documents; and
- ii) All the terms and conditions of the Tender Documents are acceptable to us.

(name of the Tenderer)

(signature of the authorized person)

SEAL

(name of the authorized person)

ANNEXURE “D”

BID BOND

(Bank Guarantee)

Guarantee No _____

Executed on _____

Expiry date _____

Letter by the Guarantor (Bank) to the Employer (University)

Name of Guarantor (Bank) with address: _____

Name of Principal (Tenderer) with address: _____

Penal sum of Security (Bond),(in figures and words): _____

Tender Reference No. _____ Date of Tender _____

KNOW ALL MEN BY THESE PRESENTS, that in pursuance of the terms of the Tender and at the request of the said Principal (Tenderer), we the Guarantor above-named are held and firmly bound unto the Vice Chancellor, Mehran University of Engineering and Technology, Jamshoro, acting through the Director (Works & Services), Mehran University of Engineering and Technology, {hereinafter called The “Employer” (“University”)} in the sum stated above, for the payment of which sum well and truly to be made, we bind ourselves, our heirs, executors, administrators and successors, jointly and severally, firmly by these presents.

THE CONDITION OF THIS OBLIGATION IS SUCH, that whereas the Principal (Tenderer) has submitted the accompanying Tender numbered and dated as above for supply, installation, putting into operation and demonstration of equipment in the laboratories Mehran University of Engineering and Technology, Jamshoro, to the said Employer (University); and

WHEREAS, the Employer (University) has required as a condition for considering the said Tender that the Principal (Tenderer) furnish a Bid Bond in the above said sum to the Employer (University), conditioned as under:

- 1) that the Bid Bond shall remain valid for a period of 28 days beyond the period of validity of the Tender;

2) that in the event of;

- a) the Principal (Tenderer) withdraws his Tender during the period of validity of the Tender;
- b) the Principal (Tenderer) does not accept the correction of his Tender Price, pursuant to Clause 16 of “Instructions to Tenderers”; or
- c) failure of the successful Tenderer to:
 - i) furnish the required Contract Performance Bond, in accordance with Clause 3 of “Instructions to Tenderers”; or
 - ii) sign the proposed Contract Agreement, in accordance with Clause 4 of the “Conditions of Contract”;

then the entire sum be paid immediately to the said Employer (University) as liquidated damages and not as penalty for the successful Tenderer’s failure to perform.

NOW THEREFORE, if the successful tenderer shall, within the period specified therefore, on the prescribed form presented to him for signature enter into a formal Contract with the said Employer (University) in accordance with his Tender as accepted and furnish within twenty eight (28) days of his being required to do so, a Contract Performance Bond with good and sufficient surety, as may be required, upon the form prescribed by the said Employer (University) for the faithful performance and proper fulfillment of the said Contract or in the event of rejection of the said Tender by the Employer (University) within the time specified then this obligation shall be void and of no effect, but otherwise to remain in full force and effect.

PROVIDED THAT, the Guarantor shall forthwith pay to the Employer (University) the said sum stated above upon first written demand of the Employer (University) without cavil or argument and without requiring the Employer (University) to prove or to show grounds or reasons for such demand notice of which shall be sent by the Employer (University) by registered post duly addressed to the Guarantor at its address given above.

PROVIDED ALSO THAT, the Employer (University) shall be the sole and final judge for deciding whether the Principal (Tenderer) has duly performed his / her obligations to sign the Contract Agreement and to furnish the required Contract Performance Bond within the time stated above, or has defaulted in fulfilling the said requirements and the Guarantor shall pay without objection the sum stated above upon first written demand from the Employer (University) forthwith and without reference to the Principal (Tenderer) or any other person.

IN WITNESS WHEREOF, the above bounden Guarantor has executed the instrument under its seal on the date indicated above, the name and seal of the Guarantor being hereto affixed and these presents duly signed by its undersigned representative pursuant to the authority of its governing body.

Guarantor (Bank)

Witness:

1. _____
(Signature)

(Signature)

(Name, Title, Address and Seal)

(Name)

2. _____
(Signature)

(Title)

(Name, Title, Address and Seal)

(Corporate Guarantor Seal)

CONTRACT PERFORMANCE BOND
(Bank Guarantee)

Guarantee No. _____

Executed on _____

Expiry Date _____

Letter by the Guarantor (Bank) to the Employer (University)

Name of Guarantor (Bank) with Address: _____

Name of Principal (Contractor) with address: _____

Penal Sum of Security (Bond), (in words and figures) _____

Letter of Acceptance No. _____ Dated _____

KNOW ALL MEN BY THESE PRESENTS, that in pursuance of the Tender Documents and above said Letter of Acceptance (hereinafter called the Documents) and at the request of the said Principal (Contractor) we, the Guarantor above named, are held and firmly bound unto the Vice Chancellor, Mehran University of Engineering and Technology, Jamshoro, Sindh, acting through the Director (Works & Services), Mehran University of Engineering and Technology {hereinafter called the Employer (University)} in the penal sum of amount stated above for the payment of which sum well and truly to be made to the said Employer (University), we bind ourselves, our heirs, executors, administrators and successors, jointly and severally, firmly by these presents.

THE CONDITION OF THIS OBLIGATION IS SUCH, that whereas the Principal (Contractor) has accepted the Employer's (University's) above said Letter of Acceptance for the supply, installation, putting into operation and demonstration of Equipment of Laboratories of Mehran University of Engineering and Technology, Jamshoro, Sindh.

NOW THEREFORE, if the Principal (Contractor) shall well and truly perform and fulfill all the undertakings, covenants, terms and conditions of the said Documents during the original terms of the said Documents and any extensions thereof that may be granted by the Employer (University), with or without notice to the Guarantor, which notice is hereby waived and shall also well and truly perform and fulfill all the undertakings, covenants, terms and conditions of the Contract and of any and all modifications of the said Documents that may hereafter be made, notice of which modifications to the Guarantor being hereby waived, then, this obligation to be void; otherwise to remain in full force and virtue till the expiry of the guaranty period as per Clause 23 of the Conditions of Contract.

Our total liability under this Guarantee is limited to the sum stated above and it is a condition of any liability attaching to us under this Guarantee that the claim for payment in writing shall be received by us within the validity period of this Guarantee, failing which we shall be discharged of our liability, if any, under this Guarantee.

We, _____ (the Guarantor), waiving all objections and defenses under the Contract, do hereby irrevocably and independently guarantee to pay to the Employer (University) without delay upon the Employer's (University's) first written demand without cavil or arguments and without requiring the Employer (University) to prove or to show grounds or reasons for such demand any sum or sums up to the amount stated above, against the Employer's (University's) written declaration that the Principal (Contractor) has refused or failed to perform the obligations under the Contract which payment will be effected by the Guarantor to the Employer's (University's) designated Bank and Account Number.

PROVIDED ALSO THAT the Employer (University) shall be the sole and final judge for deciding whether the Principal (Contractor) has duly performed his obligations under the Contract or has defaulted in fulfilling the said obligations, and the Guarantor shall pay without objection any sum or sums up to the amount stated above upon first written demand from the Employer (University) forthwith and without any reference to the Principal (Contractor) or any other person.

IN WITNESS WHEREOF, the above bounden Guarantor has executed this Instrument under its seal on the date indicated above, the name and corporate seal of the Guarantor being hereto affixed and these presents duly signed by its undersigned representative, pursuant to authority of its governing body

Witness:

1. _____
(Signature)

Name, Title and Address (Seal)

2. _____
(Signature)

Name, Title and Address (Seal)

Guarantor (Bank)

(Signature)

(Name)

(Title)

Corporate Guarantor (Seal)

ANNEXURE “F”

Statement Describing Deviation from Specifications.

S.No.	Code No.	Description of Stores	Statement of Variation from Specifications	Reasons for Variations.
1	2	3	4	5

(signature of the authorized person)

(name of the authorized person)

SEAL

On behalf of

(name and address of the Tenderer)

BILL OF QUANTITIES FOR
LAB EQUIPMENT
FOR
DEPARTMENT OF CHEMICAL
ENGINEERING

ITEM CODE

CH/BEL, CH/FPSTL, CH/FML, CH/HTL

DEPARTMENT OF CHEMICAL ENGINEERING

1. BIOCHEMICAL ENGINEERING LABORATORY

Item code	Description of Items	Qty	Unit Rate	Amount Rs
CH/BEL-01	<p>VERTICAL GEL ELECTROPHORESIS</p> <p>Able to make and runs two gels simultaneously. Maximum gel size 8 x 11cm, gel thickness 0.75 mm, minimum buffer volume internal 250 ml, and minimum buffer volume external 500 ml, gel tank dimension: 20 x 13 x 16.5cm. Injection molded unit, compact design, complete unit includes Electrophoresis tank, casting module 2-set, glass plates 5-sets, 0.75mm spacer 4-Nos., 0.75 mm 10 teeth combs 2-Nos., one gel plate, alignment cord, Glass plate separator and instruction manual.</p> <p><u>Optional for above if required:-</u></p> <p>Electrophoresis Power Supply, compact, space saving & light weight design, touch panel, audible & visible alarm, status alarm, constant voltage or current, safety features includes, no load detection, over voltage protection, automatic recovery after power failure, dimension 320x240x73mm, digital voltage range 10 – 300V in 1 Volt step, current 4–400 mA in 1mA steps 75 Watt max, design4 parallel outputs, with timer control 0–999 minute, operated on 220 Volts.</p>	1		

Item code	Description of Items	Qty	Unit Rate	Amount Rs
CH/BEL-02	<p><u>UV/VIS SPECTROPHOTOMETER</u></p> <p>Single beam spectrophotometer with Split Beam Technology (</p> <p>Features</p> <ul style="list-style-type: none"> • Outstanding long-term stability, excellent signal-to-noise ratio and high energy throughput • Holmium oxide filter for automatic wavelength calibration • Quartz coated optics • Highly precise imaging conditions due to aspheric optics • Second cell position for measuring turbid samples <p>Absorption, Transmission,</p> <p>Wavelength range: 190—1100 nm</p> <p>Spectral bandwidth: Fix 1.4 nm</p> <p>Scanning speed: 12000 nm/min</p> <p>Technical standard:</p> <ul style="list-style-type: none"> • Tested and designed to be compliant with the legal requirements for laboratory instrumentation and developed and produced in compliance with ISO 9001 • Instruments are certified to comply with the requirements of the EMC standards and bear the CE mark. <p>Photometric display:</p> <p>Range of the software: Upto 8A</p> <p>Photometric Range: -3A to 3A</p> <p>Spectral bandwidth: fix 1.4 nm</p> <p>UV- Resolution (Toluene-Hexane): ≥ 1.6</p> <p>Wavelength accuracy</p> <p>(Deuterium line at 656nm): ± 0.1 nm</p> <p>Wavelength reproducibility</p> <p>(with Holmium oxide filter): ≤ 0.02 nm</p> <p>Photometric accuracy: ± 0.003 A</p> <p>Photometric reproducibility: ≤ 0.0005 A</p> <p>Stray light ≤ 0.03 % T</p> <p>Baseline stability at 500 nm: ≤ 0.0001 (RMS)</p> <p>Longterm stability at 500 nm: ± 0.0005 A/h</p> <p>Scanning speed: 12000 nm/min</p> <p>Complete with Software, Computer and 2 Glass & 2 Quartz Cell</p>	1		

Item code	Description of Items	Qty	Unit Rate	Amount Rs
CH/BEL-03	<p>TRINOCULAR MICROSCOPE WITH DIGITAL CAMERA 32"MONITOR</p> <p>Compound Biological Trinocular Digital Microscope with Camera and Software (5.0MP), Touch Screen LCD and Infinite Optical System are ideal instruments in biological, histological, pathological, bacteriology, immunizations and pharmacy field and can be widely used in medical and sanitary establishments, laboratories, institutes, academic laboratories, colleges and universities. Infinite Optical System, Seidentopf Trinocular Viewing Head, Inclined at 30°, 360° Rotatable, Interpupillary 50-75mm, Light Distribution: 20:80. WF10×/20. Infinity E-Plan objectives 4X, 10X, 40X (S), 100X (Oil) (S), (Plan 20X & Plan 60X(S) are optional). Backward Quadruple Nosepiece, Backward Quintuple Nosepiece (optional), Coaxial Coarse & Fine Focusing knobs, Travel Range: 26mm, Scale: 2um. Stage Size: 145×140mm, Cross Travel 76×52mm, Abbe condenser NA 1.25 with Iris Diaphragm Two Slide Holder,6V/20W Halogen lamp, Brightness adjustable LED Illumination can be supplied upon request blue (Green and yellow filters are optional., N.A.0.9 (Dry) Dark Field Attachment (optional), ment unit Phase contrast uni. Polarizing attach. Polarizing Attachment unit., Analyzer/Polarizer (optional), With Infinite Plan Objectives 10× /20× /40× /100× (optional), Epi Fluorescence unit (three-hole slide) (B,G, 100W mercury lamp) (optional),42cm*28cm* 45cm, 8kg.</p> <p>Digital Camera Specification: Dual-core 1.5GHz,9.7inch Color LCD Touch Screen (1024*768).Display range, RAM 1GB DDR3, ROM 2GB Support External SD Card(Come with 8G), Maximum Capacity Up to 32GB Sensor: 1/2.5" (4:3), 5Mega Pixel Color CMOS Sensor, Aptina MT9P001 Resolution: 2592H × 1944V Pixel Size: 2.2um × 2.2um Dynamic Range: 66.5dB SNR: 40.5Db Sensitivity: 0.53V/lux-Sec(550nm) A/D Conversion: 8 bit Frame Rate: 1280 × 720@15fps, 640 × 480@30fps Shutter: Electronic Rolling Shutter (ERS) White Balance: Auto/Manual Exposure: Auto/Manual</p>	1		

Item code	Description of Items	Qty	Unit Rate	Amount Rs
	Network WI-FI Bluetooth USB/Mini-USB (OTG), Support USB Keyboard and Mouse I/O HDMI Output SD Memory Card Slot DC5V Power Supply On/Off Button Mechanical LCD Screen 360°@Horizontal/ 90°@Vertical Operating System Android 4.2 Software Build-in Microscopy Software (Measuring and Particle Analysis) Stand Power Adapter, HDMI Cable, 8GB SD card Accessories: 0.5× eyepiece adapter(Φ23mm), Φ30mm and Optional Φ30.5mm adapter rings (must be 0.1mm stage micrometer, 0.01mm stage purchased micrometer separately)			
CH/BEL-04	DIGITAL REFRACTOMETER <ul style="list-style-type: none"> With a simple, intuitive touchscreen all results and user management can be operated on the device. The unit incorporates an integrated SQL database, for storing data, and allows for access via a network or standalone PC. The DR6000 has an integrated Peltier thermostat for efficient temperature control, allowing very short measuring times at maximum accuracy. Easy cleaning of the probe. Interface and software package for full GLP compliance. Four standard models are available in this series, varying according to range resolution and accuracy	1		

Item code	Description of Items	Qty	Unit Rate	Amount Rs
CH/BEL-05	COLONY COUNTER Hand held portable · Low power consumption · Light weight and compact in size and shape. · Micro controller based 6 digit [999999] LCD counter · Built in buzzer, marker pen, and counters. · Memorizes last count The instrument · Kit content : a) Adaptor b) 6 digit Marker pen c) Marker pen set (9nos) · Warranty certificate · Instruction manual Material : SS 304 Pen : Aluminum	1		
CH/BEL-06	AUTO PIPETTE	4		

2. FOOD PROCESSING AND SUGAR TECHNOLOGY LABORATORY

Item code	Description of Items	Qty	Unit Rate	Amount Rs
CH/FPSTL-01	<p>pH METER</p> <p>Digital Bench Model Microprocessor Controlled With parallel Temperature indication, PH Range - 0 to 20.0 ± 0.005pH, PH Resolution 0.005pH, MV Range ± 1200.0mV, Accuracy mV ± 0.3mv, Automatic Temperature Compensation, Temperature Range – 5 to +105.0°C, Temperature accuracy $\pm 0.1^\circ\text{C}$ with two/three Point Calibration System, Battery operated as well as operated With 220 Volts Complete with following accessories:-</p> <ul style="list-style-type: none">a) Black Electrode stands with base.b) Plastic Beaker 50 ml.c) 3MKCL Solution 50 ml.d) Calibration Standard solutions PH 4, 7 & 10 50ml each.e) pH Electrode precision Type with Built in Temperature Sensor. <p>Complete Package</p>	4		

Item code	Description of Items	Qty	Unit Rate	Amount Rs
CH/FPSTL-02	<p>THERMOSTAT LAB. BIOREACTOR-SINGLE WALL DISH BOTTOM VESSEL 3-LITER</p> <p>Features:</p> <ul style="list-style-type: none"> • Interchangeable impellers provide flexibility for different cell types. • Colour touch screen and graphical user interface for easy operation • Real-time trend data recording ensures best fermentation performance. • 2-stage DO cascade for precise DO (dissolved oxygen) level control • Ethernet remote control ability allows you navigate and operate your fermentation process from your desktop, No additional software required • Low voltage DC brushless motor • Quick connectors for easy operation • 4 built-in assignable and programmable peristaltic pump for automatic pH, Antifoam and feeding control. • Automatic process allows to setup your 15 steps programmable control • Manual process allows you to run individual parameters independently • Full accessories are offered as a standard package. <p>Technical Specifications</p> <p>Vessel Working Volume (liter): 3L Total volume (liter): 3.8 Construction of Material: Borosilicate glass / 316L stainless steel for headplate and all fittings Control Unit Control Panel: 10.4~ Color touch screen interface Communication Port: Remote control through Ethernet, Data export through USB port, RS-485 port for system extensions Program storage: Upto 59,994 process programs Log data storage: Upto 100 process monitoring data files Cabinet material: ABS front panel and painted item housing Dimension: Footprint: W x D – 15.75” x 19.69” (400 mm x 500 mm), Height: 29.14” (740 mm) Rated voltage: 220V: 50 – 60 Hz</p>	1		

Item code	Description of Items	Qty	Unit Rate	Amount Rs
	<p>Aeration Inlet gas flow-meter: 0.1 to 10 LPM Sparger: Orifice ring Baffle: Removable 316L stainless steel baffles</p> <p>Temperature Control System Thermostat System, Built-in heat exchanger (400W heater / water circulation pump, Automatic cooling water valve* Range: 5⁰C (41⁰F) above coolant upto 60⁰C (140⁰F) Resolution: 0.1⁰C Probe: Platinum RTD probe (PT-100) Control mode: Manual or Programmable 15 steps PID control</p> <p>Agitation Drive: Removable top brushless motor Speed range: For fermentation and cell culture: a. For 3 to 7L: 30 – 1200 rpm b. For 10L: 30 – 700 rpm Resolution: 1rpm Impeller: Two impeller types: a. For fermentation: 3 pcs of height adjustable Rushton – type impeller (standard) Control mode: Manual or Programmable 15 steps PID control</p> <p>pH Range: 2 to 14 pH, Resolution: 0.01 pH Probe: Gel-filled electrode, autoclavable Control mode: Manual / Acid start / programmable 15 steps PID control with adjustable deadband</p> <p>DO Range 0 to 200% Resolution: 0.1% Probe: Polarographic DO sensor; autoclavable Control mode 2-stage DO cascade response: (operate under manual or process mode) a. Increase or decrease agitation speed Substrate feeding strategy</p> <p>Foam Probe: 316L, stainless steel protector with insulated teflon tube; on/off control</p> <p>Peristaltic Pump Motor type: Precise stopping motor; minimum speed is 1 rpm Speed range: 0 to 65 rpm Resolution: 1 rpm Control mode: Manual or Programmable 15 steps feeding control; pump can be assigned for Acid, Base, Antifoam and Substrate</p>			

Item code	Description of Items	Qty	Unit Rate	Amount Rs
	Exhaust Device type: 316L stainless steel condenser Utility requirement Power Source: 210 – 230 V, 50-60 hz with electrical safety cutoff switch Water Source: 2 bar maximum (29 pci); water supplied to fermenter must be at least 15°C below set operating temperature. Air Source 1 bar maximum, must be dry, oil-free and filtered For 3-5L minimum pressure 0.1499 kg/cm ² and air flow rate 60L/min For 7-10L, minimum pressure 7.0 kg/cm ² and air flow rate 120L/min Sterilization: Autoclave; size of the autoclave inner chamber must be able to accommodate vessel with condenser attached			
CH/FPSTL-03	MAGNETIC STIRRER WITH HOT PLATE Temp 550, 1500 rpm	1		
CH/FPSTL-04	DEEP FREEZER 2-8 Temp Ranges	1		
CH/FPSTL-05	UNIVERSAL OVEN PRECISE DRYING	1		

Item code	Description of Items	Qty	Unit Rate	Amount Rs
CH/FPSTL-06	<p>ADAPTIVE MULTIFUNCTIONAL DIGITAL PID- MICROPROCESSOR CONTROLLER WITH HIGH-DEFINITION TFT-COLOR DISPLAYS</p> <ul style="list-style-type: none"> • Temperature range 5°C above ambient up to +300°C • Single DISPLAY • natural convection • adjustment of pre-heated fresh air admixture by air flap control in 10% steps for each segment individually • self-diagnostics for fault analysis • digital timer adjustable from 1 minute to 99 days, 23 hours • Multiple Over temperature Protection with audible and visual alarm • Interior Stainless Steel & Textured Stainless Steel Casing Operated on 220volts, UN Series. <p>Capacity 32 Lit, interior dimension: 400 x 320 x 250mm with single stainless steel tray.</p>	1		
CH/FPSTL-07	<p>DIGESTION UNIT</p> <p>Traditional Kjeldahl Digestion Units for nitrogen analysis and protein determination, with an aluminum heating block that offers an excellent thermal homogeneity, with a maximum working temperature of 450 °C</p>	1		

Item code	Description of Items	Qty	Unit Rate	Amount Rs
CH/FPSTL-08	<p>CONTROL UNIT FOR ACID DIGESTION</p> <p>Specification for Microwave Digestion System The microwave digestion system should enable rapid digestion of samples such as, natural/synthetic polymers, rubbers, ceramics, organic/inorganic compounds, noble metals (PGM), etc. The digestion system should include suitable rotor system that can carry out reactions at extreme conditions of temperature and pressure and meet the international safety standards. Microwave Digestion Unit: The microwave output power should be 1400 watts or more. • System should have built-in control and real-time graphic display for all routine operations. • The system should have inbuilt exhaust system to eliminate worker exposure to toxic and • hazardous fumes as well as to cool the vessels. Cooling should be fast and the instrument door should not open before the vessels are cooled down to safe temperature for safety of users. External cooling devices viz. water bath, chiller, etc. are not acceptable due to safety reasons. System should withstand to corrosive chemicals and spills. • Cavity volume must be at least 60 Liters to accommodate various accessories. • The system should be able to continuously work at the highest operating parameters of • temperatures and pressure upto at least more than 2 hours to ensure complete digestion of difficult to digest samples. Rotor: The system should have appropriate rotors for acid digestion, drying evaporation. • System must be capable of processing digestion in at least 8 vessels capable of handling • extreme temperature and pressure conditions simultaneously. Vessel: No. of vessels : 08 or more • Volume : 100 mL or more • Maximum pressure : 100 bar or more • Maximum temperature : 300 °C or more • Maximum operating temperature/pressure: 250 °C or more at 60 bar or more. The maximum • temperature and pressure parameters should be simultaneously available. Sensor: There should be provision of simultaneous measurement of pressure and temperature in the • individual digestion vessels. The pressure and temperature values should be displayed simultaneously. Pressure control should be for each vessel and should be user programmable, including the maximum rate of pressure increase, to ensure complete user safety and precise reaction control. The pressure should be monitored, displayed and documented for each run.</p>	1		

Item code	Description of Items	Qty	Unit Rate	Amount Rs
CH/FPSTL-09	SCRUBBER	1		
CH/FPSTL-10	TEMPERATURE CONTROLLED POLYMER REACTOR	1		
CH/FPSTL-11	<p>COMPUTERIZED CONTROL AEROBIC DIGESTER SCADA AND PID CONTROL</p> <p>Bench top Unit Bench-top unit. Anodized aluminum structure and panels in painted steel. Main metallic elements in stainless steel. Diagram in the front panel with similar distribution to the elements in the real unit. 2 Packed reactors (anaerobic digesters) that may be operated in series or parallel flow arrangement. Each reactor has 5 litres capacity. Reactor packing: 25mm. diameter Bio-balls. For each reactor: heating jacket with PID Control from a temperature sensor. 2 Feed peristaltic pumps, computer controlled. (50 cc./min.). 2 Volumetric tanks, for collecting and measurement of the volume of gas produced. Temperature control. 5 Temperature sensors, “J” type, range= -60° C to 200° C. 2 pH sensors. 2 Water flow meters (0-50 cc./min.). Thermostatic bath (heating resistance, computer controlled), up to 90° C. Water circulation pump, computer controlled, for the thermostatic bath. Buffer vessel (1 litre capacity). The complete unit includes as well:</p>	1		

Item code	Description of Items	Qty	Unit Rate	Amount Rs
	<p>Advanced Real-Time SCADA and PID Control. Open Control + Multicontrol + Real Time Control. Specialized EDIBON Control Software based on Labview.</p> <p>National Instruments Data Acquisition board (250 KS/s kilo samples per second). Data Acquisition Board: The Data Acquisition board is part of the SCADA system.</p> <p>PCI Express Data acquisition board (National Instruments) to be placed in a computer slot.</p> <p>Analog input: Channels= 16 single-ended or 8 differential. Resolution=16 bits, 1 in 65536. Sampling rate up to: 250 KS/s (Kilo samples per second).</p> <p>Analog output: Channels=2. Resolution=16 bits, 1 in 65536.</p> <p>Digital Input/Output: Channels=24 inputs/outputs. PID Computer Control + Data Acquisition + Data Management Software</p>			
CH/FPSTL-12	<p>ANAEROBIC DIGESTER</p> <p>Lab. scale fully automatic/ computer controlled with application software</p>	1		
CH/FPSTL-13	<p>SHAKING INCUBATOR</p> <p>Dual hydraulic thermostats 50 to 1000 rpm shaking speed ,Temp variation from 0 to 100 °C</p>	1		

Item code	Description of Items	Qty	Unit Rate	Amount Rs
CH/FPSTL-14	MICRO-FUGE (MICRO CENTRIFUGE).40-60 SAMPLES,500-14,000 RPM, DIGITAL 800-14,000 rpm (in 100 rpm increments),Stainless steel lid, with knurled nut, Eppendorf Mini Spin	1		
CH/FPSTL-15	ROTARY VACUUM EVAPORATOR 1300W heating power, 20-270 rpm rotation speed range, 20-180C bath temperature range, 240mm bath diameter	1		
CH/FPSTL-16	GAS CHROMATOGRAPH, MS ECD Detector, Auto Injector, with a DC power Supply Module	1		

3. FLUID MECHANICS LABORATORY

Item code	Description of Items	Qty	Unit Rate	Amount Rs
CH/FML-01	<p>BASIC HYDRAULIC BENCH</p> <p>The basic hydraulic bench should be design as a portable and Self-contained service unit. The bench should be constructed from light weight corrosion resistant glass reinforced plastic & the hydraulic bench must have side channel (LOW FLOW VOLUMETRIC TANK) to support the accessory on test and perform the following practicals.</p> <p>The hydraulic bench should be single molded, to avoid Any possible leakage for a long time. ABB Power Protection against all Electric hazards.</p> <p><u>Technical Specification :-</u> Pump : Centrifugal Type, max.head 21m H₂O, Max.flow 1.35L/S</p> <p>Note: Submersive Pumps are not recommended as at high flow discharge rate, the pump can become dry and may discards as such.</p> <p>There may be requirement of experiments incorporating different accessories at the same time, therefore Centrifugal pump is highly recommended. Motor raring : 0.36kW at least</p> <p>Sump tank capacity : 250Liters High flow volumetric tank:40Liters Low flow volumetric tank: 6Liters Height of working surface : 1 Meter above floor level</p> <p>The Hydraulic Bench should be equipped with U-Tube Manometer for High flow volumetric tank to continuous measurement of flow discharge, (Optional): Experimental accessories for Hydraulic bench.</p> <p>All (Optional) Experiments Conducted on Hydraulic bench either by mounting the equipments on Low Flow Volumetric Tank or larger equipments standalone type requiring the services of Hydraulic bench for Water management and Flow rate measurement.</p>	1		

Item code	Description of Items	Qty	Unit Rate	Amount Rs
CH/FML-02	<p>BERNOULLI'S THEOREM DEMONSTRATION</p> <ul style="list-style-type: none"> * Demonstrating Bernoulli's Theorem and its limitations * Directly measuring the static and total head distribution along a venturi tube. * Determining the meter coefficient at various flow rates <p>Technical Specification :- Manometer range : 0 to 300mm Number of manometer tubes : 8 Throat diameter : 10.0mm, Upstream diameter : 25.0mm Upstream taper : 14°, Downstream taper : 21°</p> <p>Impact of Jet</p> <ul style="list-style-type: none"> * Measuring the force exerted on different targets and comparison with the forces predicted by momentum theory <p>Technical Specification :- Nozzle diameter : 8mm Distance between nozzle & target plate : 20mm Diameter of target plate : 36mm Target plate : -180° hemispherical target, -120° target (cone), -flat target, -30° Target</p>	1		

Item code	Description of Items	Qty	Unit Rate	Amount Rs
CH/FML-03	<p>FLUID PROPERTIES AND HYDROSTATICS BENCH</p> <p>This equipment should be self-contained and mobile unit for demonstration of the properties of fluids & hydrostatics and mounted on a steel-framed bench fitted with castors.</p> <p>This equipment should be bench top incorporates a recessed plastic sink & a variety of measuring devices should be incorporated in the unit including a universal hydrometer, range 0.70 to 2.00, falling sphere viscometer; hook and point gauge; hydrostatic pressure apparatus; Pascal's apparatus, double scale level balance with displacement vessel; bucket and cylinder metacentric height apparatus; direct reading barometer range 385 to 790mm; dial pressure gauge range 0 to 200 kN/m² (kPa); dead weight pressure gauge calibrator with weights; thermometer range -5°C to +50°C.</p> <p>These devices should be allow a full range of 18 experiments carried out, demonstrating the properties of fluids, the effects of static pressure, the operation and application of pressure gauges and manometers and the investigation of the stability of floating bodies.</p> <p>A comprehensive manual should be included describing how the experiments are performed as well as how to commission the equipment.</p> <p><u>Technical Specification :-</u></p> <p>Universal hydrometer : range 0.70 to 2.00 sub-divided in 0.01 intervals</p> <p>Falling sphere viscometer : 40mm tube diameter</p> <p>Hydrostatic pressure: comprises counter-balanced precision quadrant apparatus pivoted on knife edges at its centre of arc.</p> <p>Direct reading barometer : With compensated silvered metal scale range 585 to 790mm subdivided in 1mm intervals includes thermometer</p> <p>100mm dial pressure : range 0 to 200 kN/m² (kPa) & equivalent head gauge of water in metres</p>	1		

Item code	Description of Items	Qty	Unit Rate	Amount Rs
	<p>Dead weight pressure : with 2 x 1/2 kg, 1kg and 2 1/2 kg weights gauge calibrator</p> <p>Lever balance : 178mm diameter pan, hook for use in buoyancy experiments, anti-parallax cursor, double scale 0 to 0.25kg and 0 to 1.00kg</p> <p>Thermometer: range -5°C to +50°C.</p> <p><i>The provision of practical instruction exercises demonstrating the principles of fluid mechanics, in particular:</i></p> <p>Understanding the properties of fluids:</p> <ul style="list-style-type: none"> ➤ Determining the density, specific gravity & viscosity of different liquids ➤ Observing the effects of capillarity <p>Understanding the effects of static pressure:</p> <ul style="list-style-type: none"> ➤ Demonstrating that the free surface of a static liquid is horizontal ➤ Studying the effect of flow on a free surface ➤ Measuring changes in liquid level ➤ Studying the relationship between intensity of liquid pressure & depths ➤ Determining the position of the centre of pressure on a plane surface <p>Studying the operation and application of pressure gauges and manometers:</p> <ul style="list-style-type: none"> ➤ Using a direct reading Mercury barometer ➤ Measuring air and water pressure using manometers ➤ Comparing results obtained from various devices ➤ Calibrating a Bourdon-type pressure gauge using a dead Weight pressure gauge calibrator <p>Investigating the buoyancy force and stability of floating bodies:</p> <ul style="list-style-type: none"> ➤ Verifying Archimedes' principle ➤ Determining metacentric height <p>These devices should be allow a full range of 18 experiments out, demonstrating the properties of fluids, the effects of static pressure, the operation and application of pressure gauges and manometers the investigation of the stability of floating bodies.</p>			

4. HEAT TRANSFER LABORATORY

Item code	Description of Items	Qty	Unit Rate	Amount Rs
CH/HTL-01	<p>RISING FILM EVAPORATOR</p> <p>A floor standing, single tube, rising film evaporator capable of a throughput of approximately 10 litres/hr. Hygienic construction in stainless steel/borosilicate glass allows small scale production of concentrated food products, particularly evaporated milk. The evaporator tube is 1.36m long giving a total heat transfer area of 0.08m². Steam at variable pressures up to 1.7 bar is the heat transfer medium employed. A glass elbow at the top of the evaporator tube allows the vapour/liquid phases to be seen entering a stainless steel 85mm diameter cyclone separator. The vapours enter a vertical shell and tube condenser and condensate is collected in a 5 litre glass collecting tank. The liquid phase from the separator is also collected in a 5 litre collecting tank.</p> <p>A diaphragm type vacuum pump allows operation at pressures down to 200 mmHg and below if the connections are re-orientated. Clean-in-place is facilitated by a positive displacement pump, the collecting vessels being cleaned by multi-directional spray nozzles. Feed to the evaporator is by gravity from the 30 litre stainless steel feed tank through a variable area flow meter. Temperature sensors allow digital display of six relevant temperatures which can also be monitored on an optional data logger. Waterproof to IP55. A user instruction manual provides installation, commissioning and maintenance details together with suggested project exercises.</p>	1		

Item code	Description of Items	Qty	Unit Rate	Amount Rs
CH/HTL-02	HEAT EXCHANGER PROCESS CONTROL SYSTEM [1] Laboratory test stand for control engineering experiments based on the example of heat transfer [2] Pump 0.15kW, 2700rpm, head max. 4.3m, flow rate 2m ³ /h [3] Circulating pump 60W, 4m, 4.2m ³ /h [4] Fan 250W, 0.217m ³ /s, max. 430Pa [5] Heater: 2kW [6] Plate heat exchanger, max. 6.3kW [7] Industrial universal controller, P, PI, PD, PID configurable [8] Pneumatically operated actuator valve [9] Supply tank: 28Ltr, mains-independent [10] Steel tube support can be moved on castors [11] lxwxh: 1800x750x1800mm, approx. 215kg	1		
CH/HTL-03	COMPUTER CONTROLLED THERMAL CONDUCTIVITY OF LIQUIDS AND GASES UNIT WITH SCADA AND PID CONTROL TCLGC Bench-top unit. Anodized aluminum structure and panel in painted steel. Main metallic elements in stainless steel. Diagram in the front panel with similar distribution to the elements in the real unit. Aluminum body (cylinder) with brass jacket that contains the test fluid and the refrigeration water. Variable heating element (in the cylinder), computer controlled, with PID Control, (150 W, temperature max.: 150°C). The power is measured by a sensor. 6 Temperature sensors, type “T” (high precision). Water flow sensor, range: 0.25 - 6.5 l. /min. Water flow regulation valve. Syringe. The complete unit includes as well: Advanced Real-Time SCADA and PID Control. Open Control + Multicontrol + Real-Time Control. Specialized Control Software based on Labview. National Instruments Data Acquisition board (250 KS/s, kilo samples per second).	1		

Item code	Description of Items	Qty	Unit Rate	Amount Rs
CH/HTL-04	<p>HEAT EXCHANGERS TRAINING SYSTEM, COMPUTER CONTROLLED. TICC</p> <p>Base Unit: This unit is common for Heat Exchangers type “TI” and can work with one or several exchangers. Anodized aluminum structure. Panel and main metallic elements in stainless steel. Diagram in the front panel with similar distribution that the elements in the real unit. Stainless steel tank equipped with: Electric resistance. Temperature sensor type “J” to measure the water temperature. Level switch to control the water level of the tank. Stainless steel cover to avoid the contact with the hot water. In this cover exists an hole to allows us to visualize the water level and even to stuff the tank. Draining water valve. Centrifugal pump with velocity adapter. 2 Flow sensors, one for hot water and the other for cold water. 2 Control valves, one to control cold water and another one to control hot water. 4 Ball valves that, depending on how do we manipulate them, they give us parallel or crosscurrent flux in the exchanger. Control Interface Box: This control interface is common for Heat Exchangers type “TI” and can work with one or several exchangers. Control interface box with process diagram in the front panel and with the same distribution that the different elements located in the unit, for an easy understanding by the student. All sensors, with their respective signals, are properly manipulated for -10V to +10V computer output.</p>	1		

Item code	Description of Items	Qty	Unit Rate	Amount Rs
CH/HTL-05	<p>CONCENTRIC TUBE HEAT EXCHANGER:</p> <p>Anodized aluminum structure. Panel and main metallic elements in stainless steel. Diagram in the front panel with similar distribution that the elements in the real unit. Formed by two concentric copper tubes with hot water circulating through the interior tube and cold water circulating in the ring space. Exchange length $L = 2 \times 0.5 = 1\text{m}$. Internal tube: Internal diameter: $D_{int} = 16 \cdot 10^{-3}\text{m}$. External diameter: $D_{ext} = 18 \cdot 10^{-3}\text{m}$. Thickness = 10^{-3}m. Heat transfer internal area: $A_h = 0.0503\text{ m}^2$. Heat transfer external area: $A_c = 0.0565\text{m}^2$ External tube: Internal diameter: $D_{int} = 26 \cdot 10^{-3}\text{m}$. External diameter: $D_{ext} = 28 \cdot 10^{-3}\text{m}$. Thickness = $6 \cdot 10^{-3}\text{m}$. 6 Temperature sensors. 4 Flexible tubes to connect the exchanger with the Base Service Unit.</p> <p>Plate Heat Exchanger: Anodized aluminum structure. Panel and main metallic elements in stainless steel. Diagram in the front panel with similar distribution that the elements in the real unit. Formed by corrugated stainless steel plates. 4 Ports or connections of input and output of hot and cold water. 4 Temperature sensors. 4 Flexible tubes to connect the exchanger with the Base.</p>	1		

Item code	Description of Items	Qty	Unit Rate	Amount Rs
CH/HTL-06	<p>SHELL & TUBE HEAT EXCHANGER:</p> <p>Anodized aluminum structure. Panel and main metallic elements in stainless steel. Diagram in the front panel with similar distribution that the elements in the real unit. Formed by tubes of stainless steel with hot water circulating for the interior. 4 segmented baffles located transversal in the shell. Exchange length of the shell and each tube: $L = 0.5\text{m}$</p> <p>Interior tube: Internal diameter: $D_{\text{int}} = 8 \cdot 10^{-3}\text{m}$. External diameter: $D_{\text{ext}} = 10 \cdot 10^{-3}\text{m}$. Thickness $= 10^{-3}\text{m}$. Internal heat transfer area: $A_{\text{h}} = 0.0126\text{m}^2$. External heat transfer area for each tube: $A_{\text{c}} = 0.0157\text{m}^2$</p> <p>Shell: Internal diameter: $D_{\text{int,c}} = 0.148\text{m}$. External diameter: $D_{\text{ext,c}} = 0.160\text{m}$. Thickness $= 6 \cdot 10^{-3}\text{m}$. 7 Temperature sensors.</p> <p>4 Flexible tubes to connect the exchanger with the Base Service Unit.</p>	1		
CH/HTL-07	<p>COMPUTER CONTROLLED HEAT EXCHANGER SERIES MODULES:</p> <p>Linear Heat Conduction Module:</p> <p>Anodized aluminum structure. Panel and main metallic elements in stainless steel. Diagram in the front panel with similar distribution that the elements in the real unit.</p> <p>Lineal conduction module consist on:</p> <p>Input heat section.</p> <p>Electric heater with controller circuit.</p> <p>4 Temperature sensors distanced 10mm.</p> <p>Refrigeration section with a surface cooled by water and 4 Temperature sensors distanced 10mm.</p> <p>Central section:</p> <p>With brass of 25 mm of diameter.</p> <p>With brass of 10 mm of diameter.</p> <p>With stainless steel of 25 mm of diameter.</p> <p>3 Temperature sensors distanced 10mm.</p> <p>Digital wattmeter of 0 to 120 W.</p>	1		

Item code	Description of Items	Qty	Unit Rate	Amount Rs
CH/HTL-08	RADIATION HEAT TRANSFER MODULE: Anodized aluminum structure. Panel and main metallic elements in stainless steel. Diagram in the front panel with similar distribution that the elements in the real unit. This unit consists on a metal plate with a resistance at one side and a lamp in another side. Lengthwise of the metal plate you can place the elements supplied with the unit. Resistance that allows to heat and to study the radiation. The unit is provided with accessories for light experiments and radiation experiments. Light accessories: Luxo meter that allows to measure the intensity of the light in Lux or Candle. Filters. They allow to filtrate the light in the experiments. There are 3 Grey Neutral Density filters, 1Grey Neutral Density filter and 1 Grey Neutral Density filter.	1		